



**Karnataka Lokayukta**  
(Under Section 7 of the Karnataka Lokayukta Act, 1984)

CASE  
NUMBER COMPT/LOK/BCD/2515/2018

: District : Bangalore (U)

**BY :**

**1. H.S. DORESWAMY,**

United Bangaluru, No. 54, Ground Floor, Richmond  
Road, BENGALURU. Order of Honble Lokayukta  
Dated: 31/08/2018

09972099576

**COMPLAINANT/S**

**AGAINST :**

**1. COMMISSIONER,**

BBMP, Subramanyapura Lake, BENGALURU.

**2. SECRETARY,**

Pollution Control Board, BENGALURU.

**RESPONDENT/S**

**Allegation/Grievance**  
**Brief :** Dereliction of Duty.

Received From : ARE-1 Sec

Received On : 04-09-2018

Seal and Signature

**Complaint stands**  
**allotted to :** ARE-1

**SCRUTINY AND OPINION**


**KARNATAKA LOKAYUKTA, BENGALURU**

No:Compt/LOK/BCD-2515/2018 Date : 11-09-2018

**ORDER**


The complaint filed by Sri.H.S.Doreswamy for rejuvenation of lakes was originally registered in No.Compt/LOK/BCD-2253/2017. Subsequently, I passed an order for splitting of that complaint into several complaints confining to each one of the lakes in respect of which grievance has been made by Sri.H.S.Doreswamy. Accordingly, the grievance in respect of **Subramanyapura Lake** has been registered in this complaint.

2. Sri Kumar Eshwar, Assistant Executive Engineer, Slum Clearance Board is present. They submit that out of the total 90 flats, around 50% of the flats have been occupied and remaining around 50% of the flats are required to be occupied. Since there is some delay on their part in paying 10% of the contribution, they could not be moved to the flats.



3. The only question that remains to be considered is with regard to the number of people who are required to be shifted and the developmental activities to be carried out.
4. Having regard to the facts and circumstances of the case, in my view it is desirable to give a weeks' time to the respondents to shift the people and demolish the vacated building immediately and to submit status report regarding the steps taken by the next date of hearing.
5. Office to implead the Chairman, BWSSB as respondent in this complaint and issue notice of this complaint to him.
6. Communicate this order to the complainant and to the respondents forthwith both by E-mail as well as by means of postal service.

**List this matter on 18-09-2018 at 3.00 p.m.**

  
(Justice P. Vishwanatha Shetty)  
Lokayukta, State of Karnataka

18.9.18  
Recd the report  
of Status change  
Board.

**KARNATAKA LOKAYUKTA, BENGALURU**

No.Compt/LOK/BCD-2515/2018/ARE-1


Date : 18.09.2018

**O R D E R**

On behalf of the complainant Sri Lakshmikanth is present along with other colleagues. On behalf of Karnataka Slum Development Board, Bengaluru Sri Kumar Eshwar, Assistant Executive Engineer is present along with Sri Malingaiah, Assistant Engineer. On behalf of Bengaluru Water Supply & Sewerage Board Sri Nithyananda Kumar, Chief Engineer is present along with Sri Rajashekar, Additional Chief Engineer.

2) Sri Kumar Eshwar of Karnataka Slum Development Board has submitted a Status Report dated 17.09.2018, and the same is placed on record. It is useful to extract the relevant portion of the said report which reads as here under –

“ಮೇಲ್ಕಂಡ ವಿಷಯಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ, ಬೆಂಗಳೂರು ನಗರ, ಬೆಂಗಳೂರು ದಕ್ಷಿಣ ವಿಧಾನ ಸಭಾ ಕ್ಷೇತ್ರದ ಉತ್ತರಹಳ್ಳಿಯಲ್ಲಿರುವ ಸುಬ್ರಮಣ್ಯಪುರ ಕೆರೆಗೆ ಸಂಬಂಧಿಸಿದಂತೆ ಮಾನ್ಯ ಲೋಕಾಯುಕ್ತರ ಘನ ಉಪಸ್ಥಿತಿಯಲ್ಲಿ ದಿನಾಂಕ:02.08.2018 ರಂದು ಅಧಿಕಾರಿಗಳ ಮತ್ತು ಅರ್ಜಿದಾರರೊಂದಿಗೆ ಸಭೆ ನಡೆಸಿ, ಸುಬ್ರಮಣ್ಯಪುರ ಕೆರೆಯಂಗಳದಲ್ಲಿ ವಾಸಿಸುತ್ತಿರುವ ನಿವಾಸಿಗಳನ್ನು



BUD - 2515/18

- 6 -

ಮಂಡಳಿ ನಿರ್ಮಿತ ಮನೆಗಳಿಗೆ ಸ್ಥಳಾಂತರಿಸುವ ಬಗ್ಗೆ ಸೂಚಿಸಲಾಗಿರುತ್ತದೆ.

ಸುಬ್ರಮಣ್ಯಪುರ ಕೆರೆಯಂಗಳದಲ್ಲಿ 99 ಗುಡಿಸಲು ನಿವಾಸಿಗಳು ವಾಸವಿದ್ದು, ಈಗಾಗಲೇ 55 ನಿವಾಸಿಗಳು ಫಲಾನುಭವಿ ವಂತಿಕೆ ಸಲ್ಲಿಸಿರುತ್ತಾರೆ. ಉಳಿಕೆ 44 ಗುಡಿಸಲು ನಿವಾಸಿಗಳು ಫಲಾನುಭವಿ ವಂತಿಕೆಯನ್ನು ಮಂಡಳಿಗೆ ಸಲ್ಲಿಸಲು ಕಾಲಾವಕಾಶ ಕೋರಿರುತ್ತಾರೆ. ಸದರಿ ಕೆರೆಯಂಗಳದಲ್ಲಿ ಬಿಬಿಎಂಪಿ ಇಲಾಖೆಯಿಂದ ಕೆರೆ ಅಭಿವೃದ್ಧಿ ಕಾಮಗಾರಿ ಪ್ರಗತಿಯಲ್ಲಿರುತ್ತದೆ.

ದಿನಾಂಕ:11.09.2018ರ ಸಭೆಯಲ್ಲಿ ಮಾನ್ಯ ಲೋಕಾಯುಕ್ತರು ಸದರಿ ಗುಡಿಸಲು ನಿವಾಸಿಗಳನ್ನು ಮಂಡಳಿಯಿಂದ ನಿರ್ಮಿತ ಮನೆಗಳಿಗೆ ಸ್ಥಳಾಂತರಿಸಲು ಸೂಕ್ತ ಕ್ರಮ ಕೈಗೊಳ್ಳುವಂತೆ ಸೂಚಿಸಿದ್ದರನ್ವಯ ಮಂಡಳಿಯ ಅಧಿಕಾರಿಗಳು, ತಹಶೀಲ್ದಾರ್ ಕಛೇರಿಯ ಅಧಿಕಾರಿಗಳು ಹಾಗೂ ಬಿಬಿಎಂಪಿ ಇಲಾಖಾ ಅಧಿಕಾರಿಗಳು ಜಂಟಿಯಾಗಿ ದಿನಾಂಕ: 17.09.2018 ರಂದು ಪೂರ್ವಾಹ್ನ 10.30 ಗಂಟೆಗೆ ಕಾರ್ಯಾಚರಣೆಗೆ ಮುಂದಾದಾಗ, ಸ್ಥಳೀಯ ನಿವಾಸಿಗಳು ಸ್ಥಳಾಂತರ ಕಾರ್ಯಕ್ಕೆ ಆಕ್ಷೇಪಣೆ ವ್ಯಕ್ತಪಡಿಸಿ, ಕೆರೆಯಂಗಳದಲ್ಲಿ ವಾಸವಿರುವ ನಿವಾಸಿಗಳು ಈ ಕೆಳಕಂಡ ಬೇಡಿಕೆ ಇಟ್ಟಿರುತ್ತಾರೆ.


ಕ್ರ. ಸಂ	ಕೆರೆಯಂಗಳದ ನಿವಾಸಿಗಳ ಬೇಡಿಕೆ	ಮಂಡಳಿಯಿಂದ ಈಗಾಗಲೇ ತೆಗೆದುಕೊಂಡ ಕ್ರಮ
1	ಫಲಾನುಭವಿ ವಂತಿಕೆಯನ್ನು ಪಾವತಿಸದೇ ಇರುವ ಉಳಿಕೆ 44 ನಿವಾಸಿಗಳು ತೀರಾಕಡು ಬಡವರಾಗಿದ್ದು, ಡಿಡಿ ಪಾವತಿಸಲು ಸಾಧ್ಯವಾಗುತ್ತಿಲ್ಲವೆಂದು ತಿಳಿಸಿರುತ್ತಾರೆ.	ವಂತಿಕೆ ಪಾವತಿಸದೇ ಇರುವ ಫಲಾನುಭವಿಗಳಿಗೆ ಮನೆಗಳನ್ನು ಹಂಚಿಕೆ ಮಾಡಿ ನಂತರ ವಂತಿಕೆ ಸ್ವೀಕರಿಸಲು ಮೇಲಧಿಕಾರಿಗಳ ನಿರ್ದೇಶನ ಕೋರಿ ದಿನಾಂಕ: 14.09.2018 ರಂದು ಪತ್ರ ಬರೆಯಲಾಗಿದೆ.
2	ಮಂಡಳಿಯಿಂದ ನಿರ್ಮಿಸಿರುವ ಮನೆಗಳಿಗೆ ಬಿ.ಡಬ್ಲ್ಯೂ.ಎಸ್.ಎಸ್.ಬಿ ಇಲಾಖಾ	ಒಳಚರಂಡಿ ಸಂಪರ್ಕ ಕಲ್ಪಿಸುವ ಸಂಬಂಧ ಬಿ.ಡಬ್ಲ್ಯೂ.ಎಸ್.ಎಸ್.ಬಿ



	ವತಿಯಿಂದ ಕಾವೇರಿ ನೀರು ಸಂಪರ್ಕ ಮತ್ತು ಒಳಚರಂಡಿ ಸಂಪರ್ಕ ಕಲ್ಪಿಸುವ ಕಾಮಗಾರಿ ಬಾಕಿ ಇದ್ದು, ಇದನ್ನು ಪೂರ್ಣಗೊಳಿಸಿದ ನಂತರವೇ ಗುಡಿಸಲುಗಳನ್ನು ತೆರವುಗೊಳಿಸಿ ನಂತರ ನೂತನ ಮನೆಗಳಿಗೆ ಸ್ಥಳಾಂತರಿಸಲು ಒಪ್ಪಿರುತ್ತಾರೆ.	ಇಲಾಖೆಗೆ ಈಗಾಗಲೇ ದಿನಾಂಕ:04.08.2017 ರಂದು ಪತ್ರ ಬರೆದು ಸೂಕ್ತ ಕ್ರಮ ಕೈಗೊಳ್ಳುವಂತೆ ಕೋರಲಾಗಿರುತ್ತದೆ.(ಪ್ರತಿ ಲಗತ್ತಿಸಿದೆ).
3	ಮಂಡಳಿಯಿಂದ ನಿರ್ಮಿಸಿರುವ ಮನೆಗಳಿಗೆ ಬೆಸ್ಕಾಂ ಇಲಾಖಾ ವತಿಯಿಂದ ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಕಲ್ಪಿಸುವ ಕಾಮಗಾರಿ ಬಾಕಿ ಇದ್ದು, ಇದನ್ನು ಪೂರ್ಣಗೊಳಿಸಿದ ನಂತರವೇ ಗುಡಿಸಲುಗಳನ್ನು ತೆರವುಗೊಳಿಸಿ ನಂತರ ನೂತನ ಮನೆಗಳಿಗೆ ಸ್ಥಳಾಂತರಿಸಲು ಒಪ್ಪಿರುತ್ತಾರೆ.	ಬೆಸ್ಕಾಂ ಅಧಿಕಾರಿಗಳೊಂದಿಗೆ ಈಗಾಗಲೇ ಚರ್ಚಿಸಲಾಗಿದ್ದು, ಅನುಮೋದಿತ ಪಟ್ಟಿಯ ಎಲ್ಲಾ ನಿವಾಸಿಗಳು ಮೀಟರನ್ನು ಅವರುಗಳ ಹೆಸರಿಗೆ ಅರ್ಜಿ ಸಲ್ಲಿಸಿ ನೋಂದಾಯಿಸಿದ ನಂತರವೇ ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಕಲ್ಪಿಸಲಾಗುವುದೆಂದು ತಿಳಿಸಿರುತ್ತಾರೆ.

ಈ ಎಲ್ಲಾ ವಿಷಯಗಳನ್ನು ತಮ್ಮ ಘನ ಅವಗಾಹನೆಗೆ ಸಲ್ಲಿಸಲಾಗುತ್ತಿದೆ. ಹಾಗೂ ಗುಡಿಸಲುಗಳನ್ನು ತೆರವುಗೊಳಿಸುವ ಸಲುವಾಗಿ ಸ್ಥಳಕ್ಕೆ ಬೇಟಿ ನೀಡಿದ ಛಾಯಾಚಿತ್ರಗಳನ್ನು ಸಹ ಲಗತ್ತಿಸಿದೆ.”

3) Sri Kumar Eashwar further submits that they have made an application on 4.8.2017 to the BWSSB for sanitary connection. Sri Rajashekar of BWSSB submits that since the requirement of deposit of money towards water supply and sanitary lines cost has not been made, the necessary connection could not be given. At this stage, I find it is not necessary for me to make an inquiry with regard to the statement and counter statement made by Sri Kumar Eshwar and Sri Rajashekar. However, in my considered view, interest



Lok (BCD - 2515/18)

- 8 -

of justice will be met if, Sri Kumar Eshwar is directed to comply with all the requirements of BWSSB within two days from the date of demand to be made by the BWSSB. The BWSSB to make such demand, setting out their requirements, which is required to be complied with by the Karnataka Slum Development Board on or before 24.9.2018. On such demand being made on or before 24.9.2018, the Karnataka Slum Development Board to comply with the requirement as observed by me on or before 27.9.2018. The BWSSB to carry out the work relating to sanitary connection, within six weeks from the date of deposit of money to be paid by the Karnataka Slum Development Board. The BWSSB and Karnataka Slum Development Board to file their Status Reports with regard to the steps taken by the next date of hearing.

- 4) Sri Kumar Eshwar of Karnataka Slum Development Board, submits that 418 beneficiaries have been allotted flats including 99 persons who are in occupation of the area falling within the present tank bed and the Karnataka Slum Development Board, will get the application for getting electricity connection to the



- 9 - LOK/BCD-2515/18

said building and for installation of the meter within ten days from the date of receipt of this order for the said 418 beneficiaries. They further submitted that they will also take effective steps from the BESCO to get the metre fixed and the electricity connected to 418 flats within four weeks thereafter.

5) It is needless to point out that as soon as the applications are filed for fixing up of the metre, the authorities of the BESCO are required to take immediate steps for fixing of the metres and providing electricity connection to the flats in question. It is also needless to point out that the flats in question have been constructed for the weaker sections of the society and therefore, there cannot be any dereliction of duty while allotting the same, on the part of any of the authorities. As directed earlier, such of those buildings/sheds from which the families are shifted to the flats allotted are required to be demolished to prevent reoccupation of the said buildings/sheds.






Lok/BCD - 2515/18

- 10 -

6) Communicate this order to all the parties concerned and also to the Assistant Executive Engineer, S-5 Sub-division, BESCO, ISRO Layout, Kumarswamy Layout, Bengaluru.

List this case on 13.11.2018 @ 3.00 p.m.

  
(Justice P. Vishwanatha Shetty) 18/9/2018  
Lokayukta  
State of Karnataka

\*VI

7) Additional Registrar of Enq.1

13/11/2018.

ARE-1.

ಸಾ. ಉ. ಕಾಯ್ದೆ -  
- ರವರ ಆದೇಶದಂತೆ  
ಸಂಬಂಧಪಟ್ಟ ಅಧಿಕಾರಿ -  
- ಸ್ಥಳೀ ಸೋಲರ್ ಟಿಡಿ  
ಯಾದಿತ್ತು, ಸ್ವೀಕೃತಿ ಮಾಡಿಸಿದೆ.  
16.

- 11 -

**KARNATAKA LOKAYUKTA : BENGALURU**

No: Compt/Lok/BCD-2515/2018/ARE-1

Date: 13-11-2018.

**ORDER**

On behalf of Sri. H.S.Doreswamy, who is the Complainant in this case, Sri. G. Manju Sainath is present.

2. Sri. T. Jagannath Rao, Deputy Conservator of Forest is present on behalf of Bruhat Bengaluru Mahanagara Palike, Bengaluru (hereinafter referred to as '**BBMP**' for short) .

3. Sri. Sadiq Ahmed, Senior Environmental Officer, Karnataka State Pollution Control Board, Bengaluru is present along with Sri. R.V.Bhat, Legal Officer, on behalf of Karnataka State Pollution Control Board, Bengaluru (hereinafter referred to '**KSPCB**' for short) (Respondent-2).

4. Sri. A. Rajasekhar, Executive Engineer, Bengaluru Water Supply and Sewerage Board (hereinafter referred to as '**BWSSB**' for short) is present.

5. Sri. Kumar Eshwar, Assistant Executive Engineer is present on behalf of Karnataka Slum Development Board, Bengaluru.

LoK/BW- 2515/18

-12-

6. A status report dated 13-11-2018 is filed on behalf of BWSSB. It is useful to extract the said status report, which reads as hereunder:

**“ಬೆಂಗಳೂರು ನೀರು ಸರಬರಾಜು ಮತ್ತು ಒಳಚರಂಡಿ ಮಂಡಲಿ**

ಮುಖ್ಯ ಅಭಿಯಂತರರು(ಯೋಜನೆ) ರವರ ಕಛೇರಿ, 3ನೇ ಮಹಡಿ, ಕಾವೇರಿ ಭವನ, ಕೆ.ಜಿ.ರಸ್ತೆ,  
ಬೆಂಗಳೂರು-560 009

ಸಂ:ಬೆಂಜಮಂ/ಮು.ಅ(ಯೋ)/ಅಮುಅ(ಯೋ-1)/ 886/2018-19 ದಿನಾಂಕ: 13.11.2018

ಗೆ,

ಅಪರ ನಿಬಂಧಕರು ವಿಚಾರಣೆಗಳು - 1,  
ಕರ್ನಾಟಕ ಲೋಕಾಯುಕ್ತ,  
ಬಹುಮಹಡಿ ಕಟ್ಟಡ,  
ಬೆಂಗಳೂರು -560 001.

ಮಾನ್ಯರೇ,

ವಿಷಯ: ಹೆಚ್.ಎಸ್. ದೊರೆಸ್ವಾಮಿ ರವರು ಕರ್ನಾಟಕ ಲೋಕಾಯುಕ್ತ  
ಸಂಸ್ಥೆಯಲ್ಲಿ ನೀಡಿರುವ ದೂರಿನ ಕುರಿತು - ಸುಬ್ರಮಣ್ಯ ಕೆರೆ.

ಉಲ್ಲೇಖ:- ನಂ.ಕಂ.ಲೋಕ್.ಬಿ.ಸಿ.ಡಿ 2529 2018 ದಿನಾಂಕ:24.09.2018

ಮೇಲ್ಕಂಡ ವಿಷಯ ಹಾಗೂ ಉಲ್ಲೇಖಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ, ಮಾನ್ಯ  
ಲೋಕಾಯುಕ್ತರವರು ದಿನಾಂಕ:11.09.2018 ರ ಆದೇಶದಲ್ಲಿ ಸುಬ್ರಮಣ್ಯ ಕೆರೆಗೆ ತ್ಯಾಜ್ಯ ನೀರು  
ಹರಿಯುತ್ತಿರುತ್ತದೆ ಎಂದು ಉಲ್ಲೇಖಿಸಿರುತ್ತಾರೆ.

ಸುಬ್ರಮಣ್ಯ ಕೆರೆಯು ಬಿಬಿಎಂಪಿ ವ್ಯಾಪ್ತಿಯ ವಾರ್ಡ್ ನಂ.184 ಗೆ ಒಳಪಟ್ಟಿದ್ದು,  
ಸದರಿ ಕೆರೆಯು ಬಿಬಿಎಂಪಿಯ 110 ಹಳ್ಳಿಗಳ ವ್ಯಾಪ್ತಿಗೆ ಸೇರಿರುತ್ತದೆ.

ಪ್ರಸ್ತುತ ಈ ಪ್ರದೇಶದಲ್ಲಿ ಬೆಂಗಳೂರು ಜಲಮಂಡಳಿಯ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆ  
ಇರುವುದಿಲ್ಲವಾದ್ದರಿಂದ, ಇಲ್ಲಿನ ಕಟ್ಟಡಗಳ ಮಾಲೀಕರು ತಾವೇ ಸೋಕ್‌ಪಿಟ್ ಮತ್ತು  
ಎಸೆಟಿಪಿ ಗಳನ್ನು ನಿರ್ಮಿಸಿಕೊಂಡು ತ್ಯಾಜ್ಯ ನೀರನ್ನು ಸಂಸ್ಕರಿಸಿಕೊಳ್ಳಲಾಗುತ್ತಿರುತ್ತದೆ.

ಸುಬ್ರಮಣ್ಯ ಕೆರೆಗೆ ವಸಂತ ವಲ್ಲಭ ನಗರ ಗುಬ್ಬಿಲಾಳ ಭಾಗಶಃ ಪ್ರದೇಶದಿಂದ ತ್ಯಾಜ್ಯ  
ನೀರು ಹರಿಯದಂತೆ ತಡೆಗಟ್ಟಲು ಈ ಕೆರೆಯ ಪ್ರದೇಶದಲ್ಲಿ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆಯನ್ನು  
ಕಲ್ಪಿಸುವ ಕಾಮಗಾರಿಯನ್ನು 110 ಹಳ್ಳಿಗಳ ಒಳಚರಂಡಿ ಯೋಜನೆಯಡಿಯಲ್ಲಿ ಬೆಂಗಳೂರು

ಜಲಮಂಡಳಿ ಕೈಗೆತ್ತಿಕೊಂಡಿದ್ದು, ಒಳಚರಂಡಿ ಲ್ಯಾಟರಲ್ಸ್ ಅಳವಡಿಸುವ ಕಾಮಗಾರಿಯನ್ನು ಮಾರ್ಚ್ 2018ರಲ್ಲಿ ಗುತ್ತಿಗೆದಾರರಿಗೆ ವಹಿಸಲಾಗಿರುತ್ತದೆ. ಕಾಮಗಾರಿಗೆ ಅಗತ್ಯವಿರುವ ಸರ್ವೆ ಕೆಲಸವು ಪ್ರಾರಂಭಗೊಂಡಿದ್ದು, ಒಳಚರಂಡಿ ಲ್ಯಾಟರಲ್ಸ್ ಕೊಳವೆ ಮಾರ್ಗವನ್ನು ಅಳವಡಿಸಲಾಗುವುದು. ಕಾಮಗಾರಿಯ ಅವಧಿಯು 36 ತಿಂಗಳುಗಳಿದ್ದು, ಕಾಮಗಾರಿಯು ಪೂರ್ಣಗೊಂಡ ನಂತರ ಮತ್ತು ಅದಕ್ಕೆ ಸಂಬಂಧಿಸಿದ ಸಬ್ ಮೈನ್ ಕೊಳವೆ ಮಾರ್ಗ ಮತ್ತು ತ್ಯಾಜ್ಯ ಸಂಸ್ಕರಣಾ ಘಟಕಗಳ ನಿರ್ಮಾಣದ ನಂತರ ಕೆರೆಗಳಿಗೆ ಹರಿಯುತ್ತಿರುವ ತ್ಯಾಜ್ಯ ನೀರನ್ನು ತಡೆಗಟ್ಟಿ ಮಂಡಳಿಯ ತ್ಯಾಜ್ಯ ನೀರು ಸಂಸ್ಕರಣಾ ಘಟಕಗಳಿಗೆ ಹರಿಸಿ ಸಂಪೂರ್ಣವಾಗಿ ಶುದ್ಧೀಕರಿಸಲಾಗುವುದು ಎಂಬ ಮಾಹಿತಿಯನ್ನು ತಮ್ಮ ಘನ ಅವಗಾಹನೆಗೆ ಸಲ್ಲಿಸಲಾಗಿದೆ.

ವಂದನೆಗಳೊಂದಿಗೆ,

ತಮ್ಮ ವಿಶ್ವಾಸಿ,

ಸಹಿ/-

ಮುಖ್ಯ ಅಭಿಯಂತರರು(ಯೋಜನೆ)

ಬೆಂಗಳೂರು ಜಲಮಂಡಳಿ”.

6. A status report on behalf of KSPCB is filed. It is useful to extract the said report, which reads as follows:

“ಸಂಖ್ಯೆ: ಕರಾಮಾನಿಮಂ/ಬೆಂ-ಧ/ಹಿಪಅ/ಲೋಕಾಯುಕ್ತ/2018-19

ದಿನಾಂಕ: 13.11.2018

ಇವರಿಗೆ,

ಅಪರ ನಿಬಂಧಕರು, ವಿಚಾರಣೆಗಳು-1,

ಕರ್ನಾಟಕ ಲೋಕಾಯುಕ್ತ,

ಬಹುಮಹಡಿ ಕಟ್ಟಡ,

ಬೆಂಗಳೂರು

ಮಾನ್ಯರೇ,

ವಿಷಯ: ಶ್ರೀ. ಹೆಚ್. ಎಸ್. ದೊರೆಸ್ವಾಮಿಯವರು ನೀಡಿರುವ ದೂರಿನ ಕುರಿತು.

ಉಲ್ಲೇಖ: 1. ಕರ್ನಾಟಕ ಲೋಕಾಯುಕ್ತ ಪತ್ರ ಸಂಖ್ಯೆ: ಲೋಕ್.ಬಿಸಿಡಿ

2529/2018 ದಿನಾಂಕ. 24.09.2018.

\*\*\*\*\*

ಗೌರವಾನ್ವಿತ ಲೋಕಾಯುಕ್ತರು ದಿನಾಂಕ: 11.09.2018ರಂದು ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ (ಎದುರುದಾರ-2) ರವರಿಗೆ ನೀಡಿದ ನಿರ್ದೇಶನದಂತೆ ಮಂಡಳಿಯ

ಅಧಿಕಾರಿಗಳು ಸಂಬಂಧಪಟ್ಟ ಕೆರೆ ಮತ್ತು ಸುತ್ತಮುತ್ತಲಿನ ಪ್ರದೇಶಗಳನ್ನು ಪರಿಶೀಲಿಸಿ ವರದಿಯನ್ನು ಸಲ್ಲಿಸಿರುತ್ತದೆ. ಸದರಿ ವರದಿಯನ್ನು ಮಾನ್ಯರವರಲ್ಲಿ ಸಲ್ಲಿಸಲಾಗುತ್ತಿದೆ.

ಪ್ರಾದೇಶಿಕ ಅಧಿಕಾರಿ ರಾಜರಾಜೇಶ್ವರಿನಗರ ರವರು ದಿನಾಂಕ. 21.09.2018ರಂದು ಈ ಕೆಳಗಿನ ಕೆರೆಗಳನ್ನು ಪರಿವೀಕ್ಷಣೆ ಮಾಡಿರುತ್ತಾರೆ.

1. ಸುಬ್ರಮಣ್ಯ ಕೆರೆ: ಈ ಕೆರೆಯು ಬೆಂಗಳೂರಿನ ದಕ್ಷಿಣ ತಾಲ್ಲೂಕು, ಉತ್ತರಕ್ಕೆ ಹೋಬಳಿ, ಸುಬ್ರಮಣ್ಯಸುರದಲ್ಲಿದೆ.
  - ಈ ಕೆರೆಯು ಒಣವಾಗಿ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ಬರುತ್ತದೆ. ಇವರು ಕೆರೆಯನ್ನು ಪುನರ್‌ಚೇತನಗೊಳಿಸುತ್ತಿದ್ದಾರೆ.
  - ಈ ಕೆರೆಯ ಅಚ್ಚುಕಟ್ಟಿನಲ್ಲಿ ಕನಕ ಲೇಔಟ್, 3ನೇ ಹಂತ, ಗುಬ್ಬಾಳಾಲ, ಮತ್ತು ಸುಬ್ರಮಣ್ಯಸುರ ಸೇರಿರುತ್ತದೆ.
  - ಈ ಕೆರೆಯ ಸುತ್ತ ಸುಬ್ರಮಣ್ಯಸುರ, ವಿನಾಯಕ ನಗರ, ಬಾಲಾಜಿ ಲೇಔಟ್, ಭುವನೇಶ್ವರಿನಗರ, ರಾಮಚಂದ್ರಪ್ಪ ಲೇಔಟ್, ಹಾಗೂ ಕೊಳಚೆ ನಿರ್ಮೂಲನಾ ಮಂಡಳಿಯವರು ಕೆಲವು ಅಸಾಟ್‌ಮೆಂಟುಗಳನ್ನು ಕಟ್ಟಿರುತ್ತಾರೆ.
  - ಈ ಪ್ರದೇಶದಿಂದ ಬರುವ ರೊಚ್ಚುನೀರನ್ನು ಕೆರೆಯ ಕೆಳಭಾಗಕ್ಕೆ ಬಿಡುತ್ತಿದ್ದಾರೆ.


2. ಗುಬ್ಬಾಲಾ ಟ್ಯಾಂಕ್: \_\_\_\_\_

3. ತಲಪಟ್ಟಸುರ ಕೆರೆ:

4. ನೋಂಪುರ ಕೆರೆ: \_\_\_\_\_

ಮಂಡಳಿಯು ಬೆಂಗಳೂರಿನ ಮತ್ತು ಸುತ್ತಮುತ್ತಲಿನ 75 ಕೆರೆಗಳ ನೀರನ್ನು ಕಾಲಕಾಲಕ್ಕೆ ಸಂಗ್ರಹಿಸಿ ವಿಕ್ಷೇಪಿಸಿರುತ್ತದೆ. ಇವುಗಳ ವಿಶ್ಲೇಷಣೆಯ ಪ್ರಕಾರ, ಕೇಂದ್ರ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿಯ ವರ್ಗೀಕರಣದನ್ವಯ 25 ಕೆರೆಗಳು 'ಡಿ' ವರ್ಗಕ್ಕೂ 50 ಕೆರೆಗಳು 'ಇ' ವರ್ಗಕ್ಕೆ ಸೇರಿವೆ. ಈ ಕೆರೆಗಳ ಗುಣಮಟ್ಟ ಕೆಟ್ಟಿರುವುದಕ್ಕೆ ಕಾರಣ ಸುತ್ತಮುತ್ತಲಿನ ಒಳಚರಂಡಿಗಳಿಂದ ಪ್ರದೇಶಗಳ ಗೃಹ ರೊಚ್ಚುನೀರು ರಾಜಕಾಲುವೆಗಳಲ್ಲಿ ಹರಿದು ನೇರವಾಗಿ ಕೆರೆಯನ್ನು ಸೇರುತ್ತದೆ. ಇದಕ್ಕೆ ಸೂಕ್ತ ಕ್ರಮ (ಯು.ಜಿ.ಡಿ ಮತ್ತು ಎಸ್.ಟಿ.ಪಿ) ಕೈಗೊಳ್ಳುವಂತೆ ಸಂಬಂಧಿಸಿದ ಇಲಾಖೆಗಳಿಗೆ (ಬಿಬಿಎಂಪಿ, ಬಿಡಬ್ಲ್ಯೂ.ಎಸ್.ಎಸ್.ಬಿ, ಬಿಡಿಎ) ಮಂಡಳಿಯಿಂದ ನಿರ್ದೇಶನ ನೀಡಲಾಗಿದೆ. ಕೆರೆ ಪ್ರದೇಶದ ಅತಿಕ್ರಮಣ ಮಂಡಳಿಯ ವ್ಯಾಪ್ತಿಗೆ ಬರುವುದಿಲ್ಲ.

ಕಲಂ: 15 BWSSB 1964 ರಂತೆ ರೊಚ್ಚು ನೀರನ್ನು ಸಂಸ್ಕರಣೆ ಮಾಡಿ ಸರಿಯಾದ ನೀರನ್ನು ಸಾರ್ವಜನಿಕರಿಗೆ ನೀಡುವ ಕರ್ತವ್ಯವು BWSSB ಸಂಸ್ಥೆಯ ವ್ಯಾಪ್ತಿಗೆ ಬರುತ್ತಿದ್ದು ಈ ಬಗ್ಗೆ ಮಂಡಳಿಯಿಂದಲೂ ಸಾಕಷ್ಟು ನಿರ್ದೇಶನಗಳನ್ನು ನೀಡಲಾಗಿರುತ್ತದೆ. ಅದರಂತೆ ಕಲಂ 63 ಹಾಗೂ 64 ರಂತೆ ರೊಚ್ಚು ನೀರು ಸಂಸ್ಕರಣಾ



ಘಟಕಗಳ ಸ್ಥಾಪನೆ ಮಾಡುವ ಜವಾಬ್ದಾರಿಯು BWSSB ಸಂಸ್ಥೆಯ ಮುಖ್ಯ ಕರ್ತವ್ಯವಾಗಿರುತ್ತದೆ.

ಘನತ್ಯಾಜ್ಯ ನಿರ್ವಹಣೆ ನಿಯಮ 2016ರ ಕಲಂ 15ರ ಅನ್ವಯ ಸ್ಥಳೀಯ ಸಂಸ್ಥೆಗಳ ( ಬಿಬಿಎಂಪಿ ) ಘನತ್ಯಾಜ್ಯ ನಿರ್ವಹಣೆ ಮಾಡುವ ಜವಾಬ್ದಾರಿಯನ್ನು ಹೊಂದಿದ್ದು ಹಾಗೂ ಕಟ್ಟಡ ತ್ಯಾಜ್ಯ ನಿರ್ವಹಣೆ ನಿಯಮಗಳಂತೆ ನಿರ್ವಹಣಾ ಜವಾಬ್ದಾರಿಯನ್ನು ಬಿಬಿಎಂಪಿ ಹೊಂದಿದ್ದು ಈ ಬಗ್ಗೆ ಮಂಡಳಿಯಿಂದ ಬಿಬಿಎಂಪಿಗೆ ನಿರ್ದೇಶನಗಳನ್ನು ಕಾಲಕಾಲಕ್ಕೆ ನೀಡಲಾಗಿರುತ್ತದೆ.

ಆದ್ದರಿಂದ ಗೌರವಾನ್ವಿತ ಲೋಕಾಯುಕ್ತರಲ್ಲಿ ಈ ಸಂಸ್ಥೆಗಳಾದ ಬಿಬಿಎಂಪಿ ಮತ್ತು ಬಿಡ್ಲೊಎಸ್‌ಎಸ್‌ಬಿಗಳಿಗೆ ಕೆರೆಗೆ ರೋಚ್ಚುನೀರು ಸೇರುವುದನ್ನು ತಡೆಯುವ ಕುರಿತು ಹಾಗೂ ಘನ ತ್ಯಾಜ್ಯಗಳನ್ನು ಸೂಕ್ತ ನಿರ್ವಹಣೆ ಕುರಿತು ಕೆರೆ ಅಥವಾ ನದಿಗೆ ಸೇರದಂತೆ ಸೂಕ್ತ ನಿರ್ದೇಶನ ನೀಡುವ ಬಗ್ಗೆ ಮಂಡಳಿಯ ಪ್ರಾರ್ಥನೆ ಇರುತ್ತದೆ.

ತಮ್ಮ ವಿಶ್ವಾಸಿ,

ಸಹಿ/-

ಹಿರಿಯ ಪರಿಸರ ಅಧಿಕಾರಿ,  
ಬೆಂಗಳೂರು-ದಕ್ಷಿಣ.

7. On behalf of BBMP, Sri. Jagannath has produced photographs showing the existing condition of the lake before the commencement of the work taken up by the BBMP and the subsequent development that has taken place. The same is placed on record. Sri. Kumar Eshwar, submitted that a sum of Rs.57.00 lakhs has been deposited pursuant to the notice issued by BWSSB. He submitted that since the money has to be deposited he took some time to organize the fund to deposit the amount. He has also produced copy of the receipt for having deposited the amount. In the course of hearing, it is


LOR | BCD - 2515 | 18      -16-

pointed out by Sri Babu on behalf of complainant that the encroachment has not yet been removed. Sri. T. Jagannath Rao submitted that as soon as the unauthorized occupants are shifted, steps will be taken to remove the encroachments.

8. Sri. A. Rajasekhar, Executive Engineer submitted that within six weeks, sewage connection will be given and made up to date. The said statement is placed on record.


9. Sri. Kumar Eshwar submits that as soon as sewage connection is given, within six weeks, thereafter the persons who are in occupation of the lake area will be shifted to the new premises allotted to them. The said statement is placed on record. In the mean while, the BBMP to proceed with the developmental activities.

10. It is pointed out in the course of hearing, on behalf of the Complainant that as soon as the unauthorized occupants are shifted to the new premises, the Tahsildar, Bengaluru South is required to take steps for demolition of the buildings unauthorizedly constructed and hand over the area to the BBMP.



11. In the light of what is stated above, **issue notice to the Tahsildar, Bengaluru South** to demolish the unauthorized constructions in the lake area as soon as the unauthorized occupants are shifted to the new premises.
12. Communicate this order to all the parties concerned.

List this case on **05-02-2019 at 11-30 a.m.**

  
**(Justice P. Vishwanatha Shetty),** 13/11/2018  
 Lokayukta,  
 Karnataka State.

AS\*

೧) 05/02/2019.

ನೃ. ಉಪಾಯುಕ್ತ-  
 -ರವರ ಅಧಿಕಾರದಂತೆ  
 ಎದುರುದಾರರಾಗಿ ನೋಟೀಸ್  
 ಒಲಿ ಮೊಡೆಮ್, ಸ್ವೀಕ್ಯೂರಿ  
 ಮೊಡೆಸಿಡೆ.

ಬ್ಯೂದಾಲಗೆಲ್ಟ್ ಜಿಂಟಿ  
 ಸರ್ವಿಸಕರು. ಜಿಲ್ಲಾಧಿಕಾರಿ-

-ಗಲ್ಟ್ ಕೆಜಿಲಿ, ಜಿಂಗಳೂರು  
 ಜಿಲ್ಲೆರವರು ತೆಹಕಿಲ್ದಾರ್.

ಜಿಂಗಳೂರು ಜಿಲ್ಲಾ  
 ತಾಯ್ಲಾಕುರವರಾಗಿ ಕಲ್ಪುಜಿರವರು

ಪತ್ರದ ಪ್ರತಿ ಮೊಡೆಸಿಡೆ Page 7 of 7

ARE-1



**KARNATAKA LOKAYUKTA, BENGALURU**

No:Compt/LOK/BCD-2515/2018 Date : 05-02-2019

**ORDER**

Sri Rajashekar, Executive Engineer, BWSSB is present along with Sri Rangaswamy, Executive Engineer.

2. Sri Rajashekar has filed a status report dated 04-02-2019. Along with the status report a sketch has also been produced. It is useful to extract the status report dated 04-02-2019, which reads as hereunder:

“ವಿಷಯ:-ಕರ್ನಾಟಕ ಲೋಕಾಯುಕ್ತ ಬಹುಮಹಡಿ ಕಟ್ಟಡ ಬೆಂಗಳೂರು ಸುಬ್ರಹ್ಮಣ್ಯಪುರ ಕೆರೆ ಅಂಗಳದಲ್ಲಿ ವಾಸಿಸುತ್ತಿರುವ ಜನಗಳಿಗೆ ಕೊಳಚೆ ನಿರ್ಮೂಲನ ಪುಂಡಲ ನಿರ್ಮಿತ ಮನೆಗಳಿಗೆ ಬೆಂಗಳೂರು ಜಲಮಂಡಲವತಿಯಿಂದ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆ ಕಲ್ಪಿಸುವ ಬಗ್ಗೆ.

ಉಲ್ಲೇಖ:- No.Compt/Lok/BCD-2515/2018/ARE-1  
Dt:13.11.2018.

\*\*\*\*\*

ಮೇಲ್ಕಂಡ ವಿಷಯ ಹಾಗೂ ಉಲ್ಲೇಖಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ, ಮಾನ್ಯ ಲೋಕಾಯುಕ್ತರ ಆದೇಶದ ಮೇರೆಗೆ, ಬೆಂಗಳೂರು ಜಲಮಂಡಲವತಿಯಿಂದ ಈಗಾಗಲೇ ಕೊಳಚೆ ನಿರ್ಮೂಲನ ಪುಂಡಲವತಿಯಿಂದ ನಿರ್ಮಿಸಿರುವ ವಸತಿ ಗೃಹಗಳಿಗೆ ಒಳಚರಂಡಿ ಕೊಳವೆಗಳನ್ನು ಅಳವಡಿಸುವ ಕಾರ್ಯ ಪ್ರಗತಿಯಿಲ್ಲುತ್ತದೆ.


ಮುಂದುವರೆದಂತೆ, ಈಗಾಗಲೇ ಕೊಳವೆಗಳನ್ನು ಅಳವಡಿಸುವ ಕಾರ್ಯ ಮುಲಬಿದ್ದು ಇನ್ನೂ 80 ಖುಟರ್ ಕೊಳವೆಗಳನ್ನು ಅಳವಡಿಸುವ ಕಾರ್ಯ ಬಾಕಿ ಇರುತ್ತದೆ. ಈ 80

ಖೀಟರ್ ಕೊಳವೆಗಳನ್ನು ಅಳವಡಿಸುವ ಸಮಯದಲ್ಲಿ ಅಲ್ಲಿನ ಸ್ಥಳೀಯ ನಿವಾಸಿಗಳು ಕಾಮಗಾರಿಯನ್ನು ನಡೆಸದಂತೆ, ಇದು ನಮ್ಮ ಜಾರಿ ಎಂದು ತಕರಾರು ತೆಗೆದು ಕಾಮಗಾರಿಯನ್ನು ತಡೆಹಿಡಿದಿರುತ್ತಾರೆ. ಬೆಂಗಳೂರು ಜಲಮಂಡಳವತಿಯಿಂದ ಹಾಲ ಇರುವ ರಸ್ತೆಗಳಲ್ಲಿ ಒಳಚರಂಡಿ ಕೊಳವೆಗಳನ್ನು ಅಳವಡಿಸಲಾಗುತ್ತದೆ. ಆದರೂ ಸ್ಥಳೀಯ ನಿವಾಸಿಗಳು ಕಾಮಗಾರಿಯನ್ನು ನಡೆಸದಂತೆ ತಡೆಹಿಡಿದು ಅಡ್ಡಿಯನ್ನು ಉಂಟುಮಾಡಿರುತ್ತಾರೆ ಹಾಗೂ ಬಾಕಿ ಉಳಿದಿರುವ 80 ಖೀಟರ್ ಕಾಮಗಾರಿಯನ್ನು ವಾಹನ ದಟ್ಟಣೆಯಿಂದ ಕೂಡಿರುವ ರಸ್ತೆಯಲ್ಲಿ ಮಾಡಬೇಕಾಗಿರುವುದರಿಂದ ವಾಹನ ನಿಯಂತ್ರಣಕ್ಕಾಗಿ ಸಂಜಾಲ ಪೊಲೀಸರ ಅನುಮತಿಗಾಗಿ ಹಾಗೂ ಈ ಪ್ರದೇಶ ಕಾಮಗಾಲ ಕೈಗೊಳ್ಳಲು ಸ್ಥಳೀಯ ಪೊಲೀಸರ ಅನುಮತಿ ಬೇಕಾಗಿರುತ್ತದೆ.

ಈ ಅನುಮತಿಯನ್ನು ಕೋರಿ ಅಪರ ಪೊಲೀಸ್ ಆಯುಕ್ತರು ಮತ್ತು ಉಪ ಪೊಲೀಸ್ ಆಯುಕ್ತರ ಕಛೇರಿ, ಯಶವಂತಪುರ ವೃತ್ತ ರವಲಗೆ ಪತ್ರವನ್ನು ಬರೆಯಲಾಗಿರುತ್ತದೆ.

ಮುಂದುವರೆದಂತೆ, ಪೊಲೀಸ್ ಆಯುಕ್ತರು ರವಲಂದ ಅನುಮತಿ ಪಡೆದ ನಂತರ ಕಾಮಗಾರಿಯನ್ನು ಕೈಗೆತ್ತಿಕೊಂಡು ಪೂರ್ಣಗೊಳಿಸಲಾಗುವುದೆಂದು ತಮ್ಮ ಅಧ್ಯಕ್ಷರವನಕ್ಕೆ ತರಲಾಗಿದೆ.”

3. The status report filed indicates that the total length of the pipe BWSSB is required to lay is around 650 meters and out of that, 570 meters has already been laid and only 80 meters of length is requires to be laid. Sri Rajashekar pointed out that the remaining 80 meters of the pipeline is required to be laid on the main road, since they are required to obtain permission of the Deputy Commissioner of Police (Traffic), Bengaluru North, they could not lay the pipeline in the said 80 meters length and they



have already written a letter to the Deputy Commissioner of Police for permission to lay the pipeline. He submitted, that he is expecting the permission immediately and on such permission is granted, within four days from the grant of the permission, remaining work will be completed. I am sure, in view of the public interest involved in the matter and unless the pipelines are laid, the necessary sewage connection cannot be given, the Deputy Commissioner of Police, North Division (Traffic), would immediately consider the request made by BWSSB sought for by them and on such permission being given, the BWSSB is required to lay pipelines without loss of time.

4. Smt Bhupradha, Assistant Executive Engineer, BBMP Lakes, Bengaluru is present. She submitted that BBMP has completed the work relating to sewage drain and revetment. She further pointed out that the revetment, bund formation and de-silting work is in progress. In support of her statement, she has produced some photographs.




Lok/BUD-2515/2018<sup>4</sup> - 21-

The same are placed on record. She submitted that within about four week's time, the work relating to de-silting, bund revetment will be over. Further, the work relating to fencing will be taken up by the BBMP after the Slum Clearance Board take steps to shift the slum dwellers from the place occupied by them and after accommodating them in the quarters constructed for the purpose.

4. Sri Kumar Eshwar, Assistant Executive Engineer, Karnataka Slum Clearance Board is present along with Maligaiah, Assistant Engineer.

5. Sri Kumar Eshwar submitted that, within six weeks from the date of giving sewage connection, he will organise shifting of all the beneficiaries who are presently occupied the sheds to the flats allotted to them. He also submitted, since he has made necessary deposits before the BESCO, by then he expects he would get the electricity connection given to the flats.



6. The statement made by Sri Rajashekar referred to by me above shows that within four days from the date of Deputy Commissioner of Police (Traffic) giving permission to lay the UGD pipelines for the remaining 80 meters on the main road, the work will be carried out. Since, Sri Rajashekar has already made request for permission, copy of which is enclosed, I am sure, that the Deputy Commissioner of Police (Traffic), West Division, Yelahanka, Bengaluru, without further loss of time would immediately give permission. Communicate this order to the Deputy Commissioner of Police (Traffic), West Division, Yelahanka, Bengaluru.

7. The observation made by me above in the light of the statement made by the Slum Clearance authority indicates that within about eight week's time the Karnataka Slum Clearance Board should be able to shift all the slum dwellers from the sheds occupied by them located in the lake area to the flats allotted to them making the flat fully fit for occupation.




Lok/BW-2515/2018 6

- 23 -

8. All the parties are directed to file a status report with regard to the steps taken by the next date of hearing.

**List this matter on 16-04-2019 at 11.30**

**a.m.**

  
(Justice P. Vishwanatha Shetty) 5/2/2019.  
Lokayukta, State of Karnataka

ck\*

ARE-1)

10) 16/04/2019.

ARE-1.

ನಾ. ಲೋಕಾಯುಕ್ತ -  
- ರವರ ಆಹ್ವಾನದಂತೆ  
ಎದುರುದಾರರಾಗಿ  
ನೋಟಿಸ್ ಜಾರಿ ಮಾಡಿದ್ದು,  
ಸ್ವೀಕೃತಿ ಮಂಡಿಸಿದೆ.  
ಉಪ ಜೈಲಾನ್ ಆಯುಕ್ತರು,  
ಸಂಚಾರ ಒತ್ತರ ವಿಭಾಗ,  
ಬೆಂಗಳೂರು ನಗರ ರವರ  
ಪತ್ರದ ದಿ: 16/04/2019  
ಬಂದಿದ್ದು, ಮಾನ್ಯರ ಮುಖಾಂತ  
ಆಹ್ವಾನಕ್ಕಾಗಿ ಮಂಡಿಸಿದೆ.



**KARNATAKA LOKAYUKTA, BENGALURU**

No.Compt/LOK/BCD-2515/2018/ARE-1


Date : 16.04.2019

**O R D E R**

Sri Linge Gowda, Assistant Executive Engineer, BBMP (Lakes), Bengaluru is present. Sri Kumar Eshwar, Assistant Executive Engineer is present along with Sri Maligaiah, Assistant Engineer of Karnataka Slum Clearance Board, Bengaluru. Nobody is present on behalf of the complainant.

2) Sri Kumar Eshwar, Assistant Executive Engineer of Karnataka Slum Clearance Board submitted that since the underground UGD has not been carried out by the BWSSB, he has not been able to shift the beneficiaries to the flats in question.

3) Sri Linge Gowda, Assistant Executive Engineer, BBMP, submitted that 99% of the work has been completed which are required to be carried out by the BBMP. In support of the statement made before me, he has filed the photographs depicting the work carried out. However, he is directed to file the Status Report in writing by the next date of hearing.



Lok/BCD - 2515/18

25

4) No one is present on behalf of BWSSB. This matter has been adjourned from time to time. It is useful to extract the observation made by me in my earlier Order dated 5.2.2019 at paras - 5, 6, and 8 which reads as hereunder -

"5. Sri Kumar Eshwar submitted that, within six weeks from the date of giving sewage connection, he will organise shifting of all the beneficiaries who are presently occupied the sheds to the flats allotted to them. He also submitted, since he has made necessary deposits before the BESCO, by then he expects he would get the electricity connection given to the flats.

6. The statement made by Sri Rajashekar referred to by me above shows that within four days from the date of Deputy Commissioner of Police (Traffic) giving permission to lay the UGD pipelines for the remaining 80 meters on the main road, the work will be carried out. Since, Sri Rajashekar has already made request for permission, copy of which is enclosed, I am sure, that the Deputy Commissioner of Police (Traffic), West Division, Yelahanka, Bengaluru, without further loss of time would immediately give permission. Communicate this order to the Deputy Commissioner of Police (Traffic), West Division, Yelahanka, Bengaluru.





8. All the parties are directed to file a status report with regard to the steps taken by the next date of hearing.”

5) The observation made by me above, makes it clear that the BWSSB has an obligation to take necessary permission from the Deputy Commissioner of Police, Traffic West Division, Yelahanka, Bengaluru, without further loss of time and carry out the underground drainage works. As observed by me, no one is present on behalf of BWSSB. On account of the inaction on the part of BWSSB, around 99 beneficiaries could not be shifted and settled in the apartments made ready for their occupation. Under these circumstances, only option left to me is to direct the concerned officer of the BWSSB to submit his explanation for his/their inaction and also for failure to appear before me today.

6) **Communicate this order to Sri Rajashekar, Executive Engineer and to Sri Rangaswamy, Executive Engineer of BWSSB who had appeared before me on 5.2.2019, and also to the Chairman, BWSSB, Cauvery Bhavan, Bengaluru.**




Lok/BCC-2515/18

-27-

7) Sri Kumar Eshwar, Assistant Executive Engineer of Karnataka Slum Clearance Board, to pursue the matter to take effective steps and send necessary communication to the concerned engineers of the BWSSB to carry out the remaining work as observed by me above. The only work pending to be done by BBMP is to fence the area. The said work is required to be carried out by the BBMP, once the beneficiaries are vacated from the existing place and shifted to the new apartments without further loss of time.

8) In the light of what is stated above, another six weeks time is given to BWSSB to lay down the remaining UGD pipelines relating to 80 mtrs. of road work. By the next date of hearing, all the parties including BWSSB to file the Status Report.

Communicate this order to the parties concerned. List this case on 20<sup>th</sup> June, 2019 at 3.00 p.m.

  
(Justice P. Vishwanatha Shetty)  
Lokayukta  
State of Karnataka  
16/7/2019

Lok/BUD - 2515/2018 .

- 28 -

9) 20/06/2019.

ARE-1.

ನೌ. ಲೋಕಾಯುಕ್ತ -  
-ರವರ ಆದೇಶದಂತೆ  
ಎದುರುದಾರರಿಗೆ ನೋಟಿಸ್  
ಜಾರಿ ಮಾಡಿ, ಸ್ವೀಕೃತಿ  
ಮಾಂಚಿಸಿ.

೬

**KARNATAKA LOKAYUKTA, BENGALURU**


No:Compt/LOK/BCD-2515/2018 Date : 20-06-2019

**ORDER.**

On behalf of the complainant Sri Suresh N.R., Sri Babu and Sri Lakshmikanth are present. They have submitted a note dated 20-06-2019 pointing out the work required to be carried out by the concerned authorities of the state. Along with the note certain photographs are enclosed setting out the position of the lake. It is useful to extract the note dated 20-06-2019, which reads as follows:

“ವಿಷಯ :ಸುಬ್ರಮಣ್ಯಪುರಕೆರೆಯ ಬಗ್ಗೆ ಸ್ಥಿತಿಗತಿ ಪರದಿ ಸಲ್ಲಿಕೆ  
ಉಲ್ಲೇಖ: ಮಾನ್ಯ ಲೋಕಾಯುಕ್ತರ ಆದೇಶ ಸಂಖ್ಯೆ Comp/  
Lok/BCD-2515/2018.

1. ದಿನಾಂಕ 18-06-2019ರಂದು ಸುಬ್ರಮಣ್ಯಪುರಕೆರೆಯುನ್ಯೆಟೆಡ್ ಬೆಂಗಳೂರು ಸದಸ್ಯರು ಭೇಟಿ ನೀಡಿಕೆರ ಅಭಿವೃದ್ಧಿಯನ್ನು ಪರಿಶೀಲಿಸಲಾಯಿತು. ಸ್ಥಿತಿಗತಿ ವಿವರಿಸುವ ಫೋಟೋಗಳನ್ನು ಲಗತ್ತಿಸಲಾಗಿದೆ.
2. ಕಂದಾಯ ಇಲಾಖಾ ದಾಖಲೆಗಳ ಪ್ರಕಾರ ಸುಬ್ರಮಣ್ಯಪುರಕೆರೆಯು ಬೆಂಗಳೂರು ದಕ್ಷಿಣತಾಲ್ಲೂಕು, ಉತ್ತರಹಳ್ಳಿ ಹೋಬಳಿ, ಉತ್ತರಹಳ್ಳಿ ಸರ್ವೆ ನಂ 64 ಮತ್ತುಮಾರಸಂದ್ರಗ್ರಾಮದಸರ್ವೆ ನಂ 6ರಲ್ಲಿಒಟ್ಟು25 ಎಕರೆಗುಂಟೆ ವಿಸ್ತೀರ್ಣವನ್ನು ಹೊಂದಿದೆ.
3. ಪರೀಶೀಲನೆಯಲ್ಲಿ ಗಮನಿಸಿದಂತೆ ಕೇವಲ 6 ಎಕರೆ ವಿಸ್ತೀರ್ಣದಲ್ಲಿ ಮಾತ್ರಕೆರೆಯನ್ನು ಅಭಿವೃದ್ಧಿಪಡಿಸಲಾಗುತ್ತಿದೆ ಎಂದು ಕಂಡುಬರುತ್ತಿದೆ. ಕೆರೆಯಲ್ಲಿರುವ ಒತ್ತುವರಿಯನ್ನು ತೆರವುಗೊಳಿಸದೆ ಅಭಿವೃದ್ಧಿ ಪಡಿಸಲಾಗುತ್ತಿದೆ. ಒತ್ತುವರಿದಾರರಿಗೆ ಕರ್ನಾಟಕ ಕೊಳಗೇರಿ ಅಭಿವೃದ್ಧಿ ಮಂಡಳಿಯಿಂದ ಮನೆಗಳನ್ನು ಈಗಾಗಲೇ ನಿರ್ಮಿಸಲಾಗಿದ್ದು, ಒತ್ತುವರಿದಾರರನ್ನು ಶೀಘ್ರ ಸ್ಥಳಾಂತರಿಸಲು ತಾವು ದಿನಾಂಕ 05-02-2019 ರಂದು ಮತ್ತು 12-12-2019 (Comp/LokBCD-2515/2018) ಆದೇಶನೀಡಿರುತ್ತೀರಿ. ಅದರ ಇದುವರೆಗೂ ಒತ್ತುವರಿದಾರರನ್ನು ಸ್ಥಳಾಂತರಿಸಿರುವುದಿಲ್ಲ. ಹಾಗಾಗಿ ಶೀಘ್ರ ಒತ್ತುವರಿದಾರರನ್ನು ಸ್ಥಳಾಂತರಿಸಬೇಕಾಗಿ ವಿನಂತಿಸುತ್ತೇವೆ.



Lok | 100-2515 | 2018 <sup>2</sup> 30


4. ಕೆರೆಗೆ ಕೊಳಚೆ ನೀರು ಹರಿದು ಬರುತ್ತಿರುವುದನ್ನು ತಡೆಗಟ್ಟಬೇಕಾಗಿ ಮತ್ತು ಮಳೆ ನೀರು ಮಾತ್ರ ಕೆರೆಗೆ ಹರಿದು ಬರುವಂತೆ ಮಾಡಬೇಕಿದೆ.

ಈ ಮೇಲಿನ ಸಮಸ್ಯೆಗಳನ್ನು ಶೀಘ್ರ ಪರಿಹರಿಸುವ ನಿಟ್ಟಿನಲ್ಲಿ ಸಂಬಂಧಪಟ್ಟ ಇಲಾಖಾ ಅಧಿಕಾರಿಗಳಿಗೆ ತಾವು ಆದೇಶ ನೀಡಬೇಕೆಂದು ತಮ್ಮಲ್ಲಿ ವಿನಂತಿಸಿಕೊಳ್ಳುತ್ತೇವೆ.”

2. Copy of the above note is handed over to Sri Kumar Eashwar, Assistant Executive Engineer, Karnataka Slum Development Board and Sri Lingegowda, Assistant Executive Engineer, BBMP, Lakes.

3. Sri C.E.Thimmaiah, Assistant Commissioner of Police, South Traffic, Bengaluru is present. He submits that the Police have given 'No Objection Certificate' for the purpose of carrying out UGD work. The statement made by the Assistant Commissioner of Police, South Traffic, is placed on record.

4. On behalf of BWSSB Sri Rajashekar, Additional Chief Engineer is present. Sri Rajashekhar submitted that, since he and other engineers were fully engaged in election duty, none of them were present on the last date of hearing. He explained the



absence of himself and other engineers of BWSSB on the last occasion. The explanation submitted by Sri Rajashekhar for his absence and absence of other engineers is accepted as genuine and not intentional. He has filed a status report dated 19-06-2019, which reads as follows:


“ವಿಷಯ:-ಕರ್ನಾಟಕ ಲೋಕಾಯುಕ್ತ ಬಹುಮಹಡಿ ಕಟ್ಟಡ ಬೆಂಗಳೂರು ಸುಬ್ರಮಣ್ಯಪುರ ಕೆರೆ ಅಂಗಳದಲ್ಲಿ ವಾಸಿಸುತ್ತಿರುವ ಜನಗಳಿಗೆ ಕೊಳಚೆ ನಿರ್ಮೂಲನ ಮಂಡಲಿ ನಿರ್ಮಿತ ಮನೆಗಳಿಗೆ ಬೆಂಗಳೂರು ಜಲಮಂಡಲಿ ವತಿಯಿಂದ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆ ಕಲ್ಪಿಸುವ ಬಗ್ಗೆ.  
ಉಲ್ಲೇಖ:- 1. No.Compt/Lok/BCD-2515/2018/ARE-1  
Dt:16.04.2019.

\*\*\*\*\*

ಮೇಲ್ಕಂಡ ವಿಷಯ ಹಾಗೂ ಉಲ್ಲೇಖಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ, ಮಾನ್ಯ ಲೋಕಾಯುಕ್ತರ ಆದೇಶದ ಮೇರೆಗೆ, ಬೆಂಗಳೂರು ಜಲಮಂಡಲಿ ವತಿಯಿಂದ ಈಗಾಗಲೇ ಕೊಳಚೆ ನಿರ್ಮೂಲನ ಮಂಡಲಿ ವತಿಯಿಂದ ನಿರ್ಮಿಸಿರುವ ವಸತಿ ಗೃಹಗಳಿಗೆ ಒಳಚರಂಡಿ ಕೊಳವೆಗಳನ್ನು ಅಳವಡಿಸುವ ನಿಟ್ಟಿನಲ್ಲಿ ಒಟ್ಟು 650 ಮೀಟರ್ ಉದ್ದದ ಕೊಳವೆ ಮಾರ್ಗದ ಕಾಮಗಾರಿಯಲ್ಲಿ 570 ಮೀಟರ್ ಕೊಳವೆಗಳನ್ನು ಡಿಸೆಂಬರ್ - 2018ರಲ್ಲಿಯೇ ಅಳವಡಿಸಲಾಗಿರುತ್ತದೆ.

ಸದರಿ ಕಾಮಗಾರಿಯನ್ನು ಸಂಚಾರ ಮತ್ತು (ಕಾನೂನು ಮತ್ತು ಸುವ್ಯವಸ್ಥೆ) ಪೊಲೀಸ್ ಸಿಬ್ಬಂದಿಯ ಸೂಕ್ತ ರಕ್ಷಣೆಯೊಂದಿಗೆ ದಿನಾಂಕ: 13.05.2019ಕ್ಕೆ ಬಾಕಿ ಉಳಿದಿದ್ದು 80 ಮೀಟರ್ ಉದ್ದದ ಕೊಳವೆ ಮಾರ್ಗವನ್ನು ಸಹ ಪ್ರಾರಂಭಿಸಿ ಕಾಮಗಾರಿಯನ್ನು ಪೂರ್ಣಗೊಳಿಸಲಾಗಿರುತ್ತದೆ.

ಬೆಂಗಳೂರು ಜಲಮಂಡಲಿ ಕಾಯ್ದೆ - 1964 ರ ಅನ್ವಯ ನಿಯಮ-5.2 & ನಿಯಮ-5.3 ರ ಪ್ರಕಾರ, ಕರ್ನಾಟಕ ಕೊಳಚೆ ನಿರ್ಮೂಲನ ಮಂಡಲಿಯು ನಿರ್ಮಿಸಿರುವ ಸದರಿ ವಸತಿ ಗೃಹ ಸಮುಚ್ಚಯಕ್ಕೆ ಆನ್‌ಲೈನ್ ಮುಖಾಂತರ ಬೆಂಗಳೂರು ಜಲ ಮಂಡಲಿಗೆ ಅರ್ಜಿ ಸಲ್ಲಿಸಿ, ನೀರು ಮತ್ತು ಒಳಚರಂಡಿ ಸಂಪರ್ಕವನ್ನು ಪಡೆಯಬಹುದಾಗಿದೆ ಎಂದು ತಿಳಿಸಿದ್ದು, ಹಾಗೂ ಬೆಂಗಳೂರು ಜಲಮಂಡಲಿಯು ದಿನಾಂಕ:19.11.2018 ರಂದು ಸುತ್ತೋಲೆಯನ್ನು ಹೊರಡಿಸಿದ್ದು, ಅದರಂತೆ ಬೆಂಗಳೂರು ನಗರ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ಕರ್ನಾಟಕ ಕೊಳಚೆ ಅಭಿವೃದ್ಧಿ ಮಂಡಲಿಯಿಂದ ವಿವಿಧ ಕೊಳಚೆಗಳಲ್ಲಿ ನಿರ್ಮಿಸಿರುವ ಮನೆಗಳ ಪ್ರದೇಶಗಳಿಗೆ ಕುಡಿಯುವ ನೀರು ಸರಬರಾಜು ಮತ್ತು ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆ ಕಲ್ಪಿಸಲು ದಾಮಾಶ ಶುಲ್ಕದ ದರವನ್ನು ಮಾರ್ಪಡು ಮಾಡಲಾಗಿದ್ದು, ಪ್ರಸ್ತಾಪಿತ ರಿಯಾಯಿತಿ ದಾಮಾಶ ಶುಲ್ಕವನ್ನು ಪರಿಗಣಿಸಿ ಬೆಂಗಳೂರು ಜಲಮಂಡಲಿ ಕಾಯ್ದೆ - 1964 ರ ಅನ್ವಯ ನಿಯಮ-5.2 & ನಿಯಮ-5.3 ರ ಪ್ರಕಾರ, ಕರ್ನಾಟಕ ಕೊಳಚೆ ನಿರ್ಮೂಲನ ಮಂಡಲಿಯು ನಿರ್ಮಿಸಿರುವ ಸದರಿ ವಸತಿ ಗೃಹ ಸಮುಚ್ಚಯಕ್ಕೆ ಆನ್‌ಲೈನ್



ಮುಖಾಂತರ ಬೆಂಗಳೂರು ಜಲ ಮಂಡಲಿಗೆ ಅರ್ಜಿ ಸಲ್ಲಿಸಲು ತಿಳಿಸಲಾಗಿರುತ್ತದೆ ಎಂದು ತಮ್ಮ ಆದ್ಯ ಗಮನಕ್ಕೆ ತರಲಾಗಿದೆ.

ಜಲಮಂಡಲಿಯ ಅಧಿಕಾರಿಗಳು / ಅಭಿಯಂತರರು ಲೋಕಸಭಾ ಚುನಾವಣಾ ಕರ್ತವ್ಯದಲ್ಲಿ ಪಾಲ್ಗೊಂಡಿದ್ದರಿಂದ ದಿನಾಂಕ: 16.04.2019 ರಂದು ನಡೆದ ಪ್ರಕರಣದ ವಿಚಾರಣೆಗೆ ಯಾರೊಬ್ಬರು ಹಾಜರಾಗಲು ಸಾಧ್ಯವಾಗಿರುವುದಿಲ್ಲವೆಂದು ತಮ್ಮ ಆದ್ಯ ಗಮನಕ್ಕಾಗಿ ಸಲ್ಲಿಸಲಾಗಿದೆ.”

5. On behalf of BBMP Sri Lingegowda, Assistant Executive Engineer, Lakes is present. He has filed a status report dated 19-06-2019 along with certain photographs. It is useful to extract the said status report, which reads as follows:

“ವಿಷಯ: ಶ್ರೀ. ಹೆಚ್.ಎಸ್. ದೊರೆಸ್ವಾಮಿ, ಬೆಂಗಳೂರು ರವರು ಘನ

ಲೋಕಾಯುಕ್ತರವರಲ್ಲಿ ಸಲ್ಲಿಸಿರುವ ದೂರಿಗೆ ಸಂಬಂಧಿಸಿದಂತೆ  
ವರದಿ ಸಲ್ಲಿಸುವ ಕುರಿತು.

ಉಲ್ಲೇಖ: 1.ತಮ್ಮ ಕಛೇರಿ ಪತ್ರ ಸಂಖ್ಯೆ:ಕಂ.ಲೋಕ್.ಬಿಸಿ.ಡಿ/2515/2018,  
ದಿ:30-04-2019 ರ ನೋಟೀಸ್.

\*\*\*\*\*

ಮೇಲ್ಕಂಡ ವಿಷಯಕ್ಕೆ ಹಾಗೂ ಉಲ್ಲೇಖ ಪತ್ರಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ, ಶ್ರೀ. ಹೆಚ್.ಎಸ್. ದೊರೆಸ್ವಾಮಿ, ಬೆಂಗಳೂರು ರವರು ಘನ ಲೋಕಾಯುಕ್ತರವರಲ್ಲಿ ದೂರನ್ನು ಸಲ್ಲಿಸಿದ್ದು, ಸದರಿ ದೂರಿಗೆ ಸಂಬಂಧಿಸಿದಂತೆ ವರದಿಯನ್ನು ಸಲ್ಲಿಸಲು ಅಪರ ನಿಬಂಧಕರು, ವಿಚಾರಣೆಗಳು-1, ಕರ್ನಾಟಕ ಲೋಕಾಯುಕ್ತ ರವರು ಸೂಚಿಸಿರುವ ಮೇರೆಗೆ, ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ ಕೆರೆ ವಿಭಾಗದಿಂದ ಮಾಹಿತಿಯನ್ನು ಈ ಕೆಳಗಿನಂತೆ ಸಲ್ಲಿಸಿದೆ.

ಸುಬ್ರಮಣ್ಯಪುರ ಕೆರೆಯನ್ನು ಪಾಲಿಕೆ ವತಿಯಿಂದ ಅಭಿವೃದ್ಧಿಪಡಿಸಲಾಗುತ್ತಿದ್ದು, ಕೆರೆಯಲ್ಲಿ ಕೊಳಚೆ ನೀರು ತಿರುವುಗಾಲುವೆ ನಿರ್ಮಾಣ, ಪೈಪ್ ಲೈನ್ ನಿರ್ಮಾಣ, ಕೆರೆಯ ಹೊಳು ತೆಗೆಯುವುದು, ಐಲ್ಯಾಂಡ್ ನಿರ್ಮಾಣ, ರಿಂಗ್ ಬಂಡ್ ನಿರ್ಮಾಣ, ಮುಖ್ಯ ಏರಿಯನ್ನು ಬಲಪಡಿಸುವುದು, ಮುಂತಾದ ಕಾಮಗಾರಿಗಳನ್ನು ಕೈಗೊಳ್ಳಲಾಗಿದ್ದು, ಈ ಪೈಕಿ ಕೆರೆಯ ಏರಿಗೆ ಕಲ್ಲುಹಾಸು ಹೊದಿಸುವುದು, ಸಿಲ್ಟ್ ಟ್ರ್ಯಾಪ್ ನಿರ್ಮಾಣ, ಕಾಮಗಾರಿಗಳು ಪೂರ್ಣಗೊಳ್ಳುವ ಹಂತದಲ್ಲಿವೆ. ಪ್ರಸ್ತುತ ಸುಬ್ರಮಣ್ಯಪುರ ಕೆರೆಯಲ್ಲಿ ಮಳೆ ನೀರು ಸಂಗ್ರಹಿಸಲು ಅಗತ್ಯವಿರುವ ಎಲ್ಲಾ ಕಾಮಗಾರಿಗಳನ್ನು ಪೂರ್ಣಗೊಳಿಸಿ ಕೆರೆಯಲ್ಲಿ ಮಳೆ ನೀರು ಸಂಗ್ರಹಿಸಲು ಕ್ರಮ ಕೈಗೊಳ್ಳಲಾಗಿದೆ. (ಛಾಯಚಿತ್ರಗಳನ್ನು ಘನ ನ್ಯಾಯಾಲಯದ ಅವಗಾಹನೆಗೆ ಸಲ್ಲಿಸಿದೆ). ಉಳಿದ ಕಾಮಗಾರಿಗಳಾದ ಫುಟ್‌ಬ್ರಿಡ್ಜ್ ನಿರ್ಮಾಣ, ವಾಕಿಂಗ್ ಪಾತ್ ಅಭಿವೃದ್ಧಿ, ಕಾವಲುಗಾರರ ಕೊಠಡಿ ನಿರ್ಮಾಣ, ಶೌಚಾಲಯ ನಿರ್ಮಾಣ, ಗಿಡಗಳಿಗೆ ನೀರುಣಿಸಲು ಪೈಪ್ ಲೈನ್ ಅಳವಡಿಸುವುದು, ಗೆಜೆಬೋ ನಿರ್ಮಾಣ, ಮತ್ತಿತರ ಅವಶ್ಯ ಕಾಮಗಾರಿಗಳನ್ನು ಕೈಗೊಳ್ಳಲು ಪಾಲಿಕೆಯಿಂದ ಈಗಾಗಲೇ ಟೆಂಡರ್ ಕರೆಯಲಾಗಿದೆ. (ಟೆಂಡರ್ ನೋಟೀಫಿಕೇಶನ್ ಪ್ರತಿ ಸಲ್ಲಿಸಿದೆ).

ಸುಬ್ರಮಣ್ಯಪುರ ಕೆರೆಯ ಪ್ರದೇಶದಲ್ಲಿರುವ ಅನಧಿಕೃತ ಒತ್ತುವರಿದಾರರನ್ನು ಸ್ಲಂ ಬೋರ್ಡ್ ವತಿಯಿಂದ ಪುನರ್ ವಸತಿ ಕಲ್ಪಿಸಿದ ನಂತರ ಸದರಿ ಒತ್ತುವರಿ ಪ್ರದೇಶವನ್ನು ಕೆರೆಗೆ ಸೇರಿಸಿಕೊಂಡು ತಂತಿಬೇಲಿಯನ್ನು ಅಳವಡಿಸಿ, ಈ ಪ್ರದೇಶದಲ್ಲಿ ಅವಶ್ಯ ಅಭಿವೃದ್ಧಿ ಕೆಲಸಗಳನ್ನು ಕೈಗೊಳ್ಳಲಾಗುವುದು ಎಂಬ ವರದಿಯನ್ನು ಘನ ನ್ಯಾಯಾಲಯದ ಅವಗಾಹನೆಗೆ ಛಾಯಚಿತ್ರಗಳೊಂದಿಗೆ ಸಲ್ಲಿಸಿದೆ.”

6. The photographs produced along with the status report indicate that, the work has been carried out by the BBMP.

7. On behalf of Karnataka Slum Development Board Sri Kumar Eashwar, Assistant Executive Engineer is present. He has also filed a status report dated 17-06-2019, which reads as follows:

“ವಿಷಯ:- ಎಚ್.ಎಸ್.ದೊರೆಸ್ವಾಮಿ ಎಂಬುವರು. ಲೋಕಾಯುಕ್ತ ಸಂಸ್ಥೆಯಲ್ಲಿ ನೀಡಿರುವ ದೂರಿನ ಕುರಿತು.

ಉಲ್ಲೇಖ:- 01) ದಿನಾಂಕ: 16.04.2019 ರಂದು ಮಾನ್ಯ ಲೋಕಾಯುಕ್ತರ ಸಭೆಯಲ್ಲಿ ನೀಡಿರುವ ನಿರ್ದೇಶನ.

02) ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು, ( &ಯೋ) ನಂ:12, ಬೆಂ.ಜ.ಮಂ, ಆನಂದರಾವ್ ವೃತ್ತ, ಬೆಂಗಳೂರು ರವರ ಪತ್ರ ಸಂಖ್ಯೆ:BWSSB/EE(M&P)-12, AEE(M&P) 12-2/AE/75/2019-20, ದಿ:25.05.2019

\*\*\*\*\*

ಮೇಲ್ಕಂಡ ವಿಷಯಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ, ಬೆಂಗಳೂರು ದಕ್ಷಿಣ ವಿಧಾನ ಸಭಾ ಕ್ಷೇತ್ರದ ಉತ್ತರಹಳ್ಳಿ ವ್ಯಾಪ್ತಿಯಲ್ಲಿರುವ ಸುಬ್ರಮಣ್ಯಪುರ ಕೆರೆಗೆ ಸಂಬಂಧಿಸಿದಂತೆ ಮಾನ್ಯ ಲೋಕಾಯುಕ್ತರ ಘನ ಉಪಸ್ಥಿತಿಯಲ್ಲಿ ದಿನಾಂಕ:16.04.2019 ರಂದು ಅಧಿಕಾರಿಗಳೊಂದಿಗೆ ಸಭೆ ನಡೆಸಿ, ಸುಬ್ರಮಣ್ಯಪುರ ಕೆರೆಯಂಗಳದಲ್ಲಿ ವಾಸಿಸುತ್ತಿರುವ ನಿವಾಸಿಗಳನ್ನು ಮಂಡಳಿ ನಿರ್ಮಿತ ಮನೆಗಳಿಗೆ ಸ್ಥಳಾಂತರಿಸುವ ಬಗ್ಗೆ ಮಾನ್ಯ ಲೋಕಾಯುಕ್ತರು ವಿಚಾರಣೆ ನಡೆಸಿದ್ದು, ಬಾಕಿ ಉಳಿದ 80 ಮೀಟರ್ ಯು ಜಿ ಡಿ ಕಾಮಗಾರಿಯನ್ನು ಬಿ.ಡಬ್ಲ್ಯೂ.ಎಸ್.ಎಸ್.ಬಿ ಯಿಂದ ಆರು ವಾರಗಳಲ್ಲಿ ನಿರ್ವಹಿಸಿ ತೆಗೆದುಕೊಂಡ ಕ್ರಮದ ಬಗ್ಗೆ ಮುಂದಿನ ಸಭೆಯಲ್ಲಿ ಸಲ್ಲಿಸಲು ಸೂಚಿಸಿದ್ದಾರೆ.

ಬೆಂಗಳೂರು ನೀರು ಸರಬರಾಜು ಮತ್ತು ಒಳ ಚರಂಡಿ ಮಂಡಳಿಯ ಅಧಿಕಾರಿಗಳು ಬಾಕಿ ಉಳಿದ 80 ಮೀಟರ್ ಯು.ಜಿ.ಡಿ ಕಾಮಗಾರಿಯನ್ನು ನಿರ್ವಹಿಸಲು ದಿನಾಂಕ: 13.05.2019 ರಂದು ನಿಗದಿ ಪಡಿಸಿಕೊಂಡು ದಿನಾಂಕ:31.05.2019 ರಂದು Main line ಕಾಮಗಾರಿ ಪೂರ್ಣಗೊಳಿಸಲಾಗುತ್ತದೆ ಎಂದು ಮೇಲಧಿಕಾರಿಗಳಿಗೆ ಬರೆದಿರುತ್ತಾರೆ. BWSSB Main line



ನಿಂದ ಬಡಾವಣೆಯ ಪೈಪ್‌ಲೈನ್‌ಗೆ ಸಂಪರ್ಕಗೊಳಿಸಲು ಗುಬ್ಬಿಲಾಳ ಮುಖ್ಯ ರಸ್ತೆಯ 20.00 ಮೀ ರಸ್ತೆ cutting ಮಾಡಬೇಕಾಗಿದ್ದು, ಮಂಡಳಿ ವತಿಯಿಂದ ದಿನಾಂಕ:12.06.2019 ರಂದು ಸ್ಥಳೀಯ ಬಿಬಿಎಂಪಿ ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರಿಗೆ ಪತ್ರ ಬರೆದು ಆನ್ ಲೈನ್‌ಭರ್ತಿ ಮಾಡಿ ಅನುಮತಿ ನೀಡುವಂತೆ ಕೋರಲಾಗಿದ್ದು ಶೀಘ್ರದಲ್ಲೇ 20.00 ಮೀ ಪೈಪ್ ಅಳವಡಿಸಿ ಪೈಪನ್ನು ಲಿಂಕ್ ಮಾಡಲಾಗುವುದು. ಒಳಚರಂಡಿ ಲಿಂಕ್‌ಮಾಡುವ ಕೆಲಸ ಪೂರ್ಣಗೊಂಡ ನಂತರ ಫಲಾನುಭವಿಗಳಿಗೆ ಮನೆ ಹಂಚಿಕೆ ಮಾಡಲಾಗುವುದು.

ಹೊರವಿದ್ಯುದ್ದೀಕರಣ ಕಾಮಗಾರಿಗೆ ಸಂಬಂಧಿಸಿದಂತೆ Polework, transformer work ಇತ್ಯಾದಿ ಈಗಾಗಲೇ ಪೂರ್ಣಗೊಂಡಿದ್ದು, transformer charge ಮಾಡಲು ಪತ್ರ ವ್ಯವಹಾರ ಮಾಡಲಾಗಿದ್ದು, ಫಲಾನುಭವಿಗಳು ತಮ್ಮ ಹೆಸರಿಗೆ ಅರ್ಜಿ ಸಲ್ಲಿಸಿದ ನಂತರ ಶೀಘ್ರದಲ್ಲೇ ಲೈನ್ ಚಾರ್ಜ್ ಮಾಡಲಾಗುವುದು ಎಂದು ಬೆಸ್ಕಾಂ ಅಧಿಕಾರಿಗಳು ಸೂಚಿಸಿರುತ್ತಾರೆ, ಮಂಡಳಿಯಿಂದ ಹಂಚಿಕೆ ಮಾಡಿರುವ ಫಲಾನುಭವಿಗಳಿಗೆ ಸರ್ಕಾರದ ಆದೇಶ ಸಂಖ್ಯೆ: ವ.ಇ 80 ಕೊಮಂಇ 2013 , ಬೆಂಗಳೂರು ದಿ:21 ನೇ ಜೂನ್ 2014 ರಂತೆ ಫಲಾನುಭವಿಗಳ ಹೆಸರಿನಲ್ಲೇ ಮೀಟರ್ ಅಳವಡಿಸಿ ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಕಲ್ಪಿಸಲು ದಿನಾಂಕ:19.12.2018 ರಂದು ಬೆಸ್ಕಾಂ ಎಇಇ ರವರಿಗೆ ಪತ್ರ ಬರೆಯಲಾಗಿದ್ದು, ಶೀಘ್ರದಲ್ಲೇ ಮೀಟರ್ ಅಳವಡಿಸಲಾಗುವುದು.

ಮೇಲೆ ತಿಳಿಸಿರುವ ಎಲ್ಲಾ ಬಾಕಿ ಕಾಮಗಾರಿಗಳನ್ನು ಪೂರ್ಣಗೊಳಿಸಿ ದಿ:15.07.2019 ರೊಳಗೆ ಕೆರೆಯಂಗಳದಲ್ಲಿರುವ 99 ನಿವಾಸಿಗಳನ್ನು ಸ್ಥಳಾಂತರಿಸಲು ಕ್ರಮ ವಹಿಸಲಾಗುವುದು.

ಈ ಎಲ್ಲಾ ವಿಷಯಗಳನ್ನು ತಮ್ಮ ಘನ ಅವಗಾಹನೆಗೆ ಸಲ್ಲಿಸಲಾಗಿದೆ.”

8. Sri Kumar Eashwar submitted that, since the Police Department has given No Objection Certificate to lay down the UGD work, if the time is given till 15<sup>th</sup> July 2019, 99 (ninety nine) families occupying 99 (ninety nine) huts would be shifted to the flats allotted to them and the huts occupied by them would be forthwith demolished. The said statement is placed on record. Once the work is carried out and the flats are made suitable for occupation, it is needless to point out that, if any of the inmates of the huts, fail to occupy the flat, they will lose the

right on the flat and the authorities can forcibly evict them from the huts, if required by use of police force.


9. In the light of what is stated above, Sri Kumar Eashwar is given time till 15<sup>th</sup> July 2019 to shift the inmates of the 99 (ninety nine) huts.

10. All the parties are directed to file a status report with regard to the steps taken by the next date of hearing.

11. Communicate this order to the parties concerned.

**List this matter on 23-08-2019 at 03.00**

p.m.

  
**(Justice P. Vishwanatha Shetty)**  
Lokayukta, State of Karnataka 20/6/2019

ck\*

ARE-1)

10) 23/08/2019.

ARE-1.

ಗೌ. ಉ.ಶಾ.ಯು.ಕೆ.ರೂ.ವೆ  
ಆಹಾರದಂತೆ ಎದುರು-  
-ದಾರರಾಗಿ ನೋಟಿಸ್  
ಚೀರಿ ಮಾಡಿದ್ದು, ಸ್ವೀಕೃತಿ  
ಮಾಡಿಸಿದೆ.

~~ಬಿಬಿ, ಕೆ.ಎಸ್. ಶರಣ್~~  
~~ಬಿಬಿ, ಕೆ.ಎಸ್. ಶರಣ್~~  
ಪ್ರತಿ: ~~ಬಿಬಿ, ಕೆ.ಎಸ್. ಶರಣ್~~ ಬಾಂಬೆ-  
ಪ್ರತಿ:

ಕಾರ್ಯಾಲಯಕ್ಕೆ

ಅಭಿಯಂತರರು.

ಬೆಂಗಳೂರು, ರವಿ

ಹತ್ತಿರದ ದಿನ; 25/05/2019

ಬಾಂಧವರುಗಳಿಗೆ.

N. R. ಸುರೇಶ್, ಸಂಚಾಲಕರು.

ಯುನೈಟೆಡ್ ಬೆಂಗಳೂರು -

- ರವಿ ಹತ್ತಿರದ ದಿನ; 20/06/2019

ಬಾಂಧವರುಗಳಿಗೆ.

..

**KARNATAKA LOKAYUKTA, BENGALURU**

No.Compt/LOK/BCD-2515/2018/ARE-1

Date : 23.08.2019

**O R D E R**


On behalf of the complainant Sri H.S.Doraiswamy, Sri Lakshmikanth is present. Sri Lingegowda, Assistant Executive Engineer of BBMP (Lakes), Bengaluru is present. Sri Kumar Eashwar, Assistant Executive Engineer is present along with Sri Maligaiah, Assistant Engineer of Karnataka Slum Clearance Board, Bengaluru.

2) A Status Report dated 22.8.2019 is filed by Sri Kumar Eashwar, Assistant Executive Engineer of Karnataka Slum Clearance Board, Bengaluru, by setting out the steps taken by him. Along with the Status Report certain documents are also produced. It is useful to extract the relevant portion of the Status Report, which reads as here under –

**“ಕರ್ನಾಟಕ ಕೊಳಗೇರಿ ಅಭಿವೃದ್ಧಿ ಮಂಡಳಿ**

ಸಹಾಯಕಕಾರ್ಯಪಾಲಕಅಭಿಯಂತರರಕಛೇರಿ, ನಂ.1ನೇ ಉಪವಿಭಾಗ,  
ನಂ.55, ರಿಪಬ್ಲಿಕ್ ರಸ್ತೆ, ಶೇಷಾದ್ರಿಪುರಂ, ಬೆಂಗಳೂರು-560020.ದೂರವಾಣಿ ಸಂಖ್ಯೆ:23464114.

\*\*\*\*\*



ಸಂಖ್ಯೆ:ಕೋಅಮ/ಸಕಾನಿಅ-1/ಬೆಂ/2019-20/

ದಿನಾಂಕ:22.08.2019

ರವರಿಗೆ

ಅಪರನಿಬಂದಕರು (ವಿಚಾರಣೆಗಳು-1)

ಕರ್ನಾಟಕ ಲೋಕಾಯುಕ್ತ

ಬೆಂಗಳೂರು.

ಮಾನ್ಯರೇ,

ವಿಷಯ:- ಎಚ್.ಎಸ್.ದೊರೆಸ್ವಾಮಿಎಂಬವರು. ಲೋಕಾಯುಕ್ತ ಸಂಸ್ಥೆಯಲ್ಲಿ ನೀಡಿರುವ ದೂರಿನಕುರಿತು.

ಉಲ್ಲೇಖ:- ತಮ್ಮಕಛೇರಿನೋಟೀಸ್‌ಪತ್ರ ಸಂಖ್ಯೆ: ಲೋಕ್;ಬಿಸಿಡಿ;2515/2018, ದಿನಾಂಕ:27.06.2019.

\*\*\*\*\*

ಮೇಲ್ಕಂಡ ವಿಷಯಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ, ಬೆಂಗಳೂರು ನಗರ, ಬೆಂಗಳೂರು ದಕ್ಷಿಣ ವಿಧಾನ ಸಭಾಕ್ಷೇತ್ರದ ಉತ್ತರಹಳ್ಳಿಯಲ್ಲಿರುವ ಸುಬ್ರಮಣ್ಯಪುರಕೆರೆಗೆ ಸಂಬಂಧಿಸಿದಂತೆ ಮಾನ್ಯ ಲೋಕಾಯುಕ್ತರ ಘನ ಉಪಸ್ಥಿತಿಯಲ್ಲಿ ದಿನಾಂಕ:20.06.2019ರಂದು ಅಧಿಕಾರಿಗಳ ಮತ್ತುಅರ್ಜಿದಾರರೊಂದಿಗೆ ಸಭೆ ನಡೆಸಿ, ನೀಡಿದ ನಿರ್ದೇಶನಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ ಈ ಕೆಳಕಂಡಂತೆ ಸೂಕ್ತ ಕ್ರಮ ಕೈಗೊಳ್ಳಲಾಗಿದೆ.

ಕ್ರ.ಸಂ	ನೀಡಿರುವ ನಿರ್ದೇಶನ	ಮಂಡಳಿಯು ಕೈಗೊಂಡ ಕ್ರಮ
1	ಬಳಚರಂಡಿ ವ್ಯವಸ್ಥೆಗೆ ಸಂಬಂಧಿಸಿದಂತೆ (UGD) BWSSB Main Line ನಿಂದ ಬಡಾವಣೆಯ ಪೈಪ್ ಲೈನ್‌ಗೆ ಸಂಪರ್ಕಗೊಳಿಸಲು ಗುಬ್ಬಲಾಳ ಮುಖ್ಯರಸ್ತೆಯ 20.0 ಮೀ ರಸ್ತೆಕಟಿಂಗ್ ಮಾಡಿ, 20.0 ಮೀಟರ್ ಪೈಪ್‌ನ್ನು ಅಳವಡಿಸಿ ಪೈಪ್‌ನ್ನು ಲಿಂಕ್ ಮಾಡುವ ಬಗ್ಗೆ.	ದಿನಾಂಕ:20.07.2019ರಂದುಗುಬ್ಬಲಾಳ ಮುಖ್ಯರಸ್ತೆಯ 20.0 ಮೀ ರಸ್ತೆಕಟಿಂಗ್ ಮಾಡಿ, 20.0 ಮೀಟರ್ ಪೈಪ್‌ನ್ನು ಅಳವಡಿಸಿ ಪೈಪ್‌ನ್ನು ಲಿಂಕ್ ಮಾಡಲಾಗಿರುತ್ತದೆ. ಅನುಬಂಧ-1ರಲ್ಲಿ ಛಾಯಾಚಿತ್ರ ಲಗತ್ತಿಸಿದೆ.
2	ಸದರಿ ಬಡಾವಣೆಯ Transformer Charge ಮಾಡಿ, ಫಲಾನುಭವಿಗಳಿಗೆ ಮೀಟರ್ ಅಳವಡಿಸುವ ಕಾಮಗಾರಿ ಬಗ್ಗೆ.	ಸದರಿ ಬಡಾವಣೆಯ Transformer Charge ಮಾಡಲು, ಸಕಾನಿಅ, ಬೆಸ್ಕಾಂ ಎಸ್-5ರವರಕಛೇರಿಗೆಅರ್ಜಿ ಸಲ್ಲಿಸಿದ್ದು, ಈಗಾಗಲೇ ಸುಮಾರು 421 ಮನೆಗಳಿಗೆ ಬೆಸ್ಕಾಂ ನಿಂದ ವಿದ್ಯುತ್ ಮೀಟರ್

		ಅಳವಡಿಸಲು ದಿನಾಂಕ:09.08.2019ರಂದು ಐಡಿಜನರೇಟ್ ಆಗಿರುತ್ತದೆ. ಅನುಬಂಧ-2ರಲ್ಲಿ ಐಡಿಜನರೇಟ್ ಆಗಿರುವ ಪ್ರತಿಗಳನ್ನು ಲಗತ್ತಿಸಿದೆ.
3	ಕೆರೆಯಂಗಳದಲ್ಲಿರುವ 99 ನಿವಾಸಿಗಳನ್ನು ಸ್ಥಳಾಂತರಿಸುವ ಬಗ್ಗೆ.	ಕೆರೆಯಂಗಳದಲ್ಲಿರುವ 99 ನಿವಾಸಿಗಳನ್ನು ಸ್ಥಳಾಂತರಿಸುವ ಸಂಬಂಧದಿನಾಂಕ:25.07.2019ರಂದು ಲಾಟರಿ ಮಾಡಲು ಪ್ರಕಟಣೆ ಹೊರಡಿಸಲಾಗಿದ್ದು, ಸದರಿ 99 ನಿವಾಸಿಗಳಿಗೆ ಲಾಟರಿ ಮಾಡಿರುವ ವಿವರಗಳನ್ನು ಅನುಬಂಧ-3ರಲ್ಲಿ ವಿವರಿಸಿದೆ.
4	<b>Demolishing of the Huts in Lake</b>	ಸ್ಥಳೀಯ ಪೋಲೀಸ್‌ರಕ್ಷಣೆ ಪಡೆದುದಿನಾಂಕ:05.08.2019ರಂದು ಮತ್ತು ದಿನಾಂಕ:22.08.2019ರಂದು ಸುಮಾರು 23 ಶೆಡ್‌ಗಳನ್ನು ತೆರವುಗೊಳಿಸಲಾಗಿರುತ್ತದೆ. ಅನುಬಂಧ-4ರಲ್ಲಿ ಛಾಯಾಚಿತ್ರ ಲಗತ್ತಿಸಿದೆ.

ಮೇಲೆ ವಿವರಿಸಿರುವಂತೆ ಮಂಡಳಿವತಿಯಿಂದ ಸದರಿ ಕೆರೆಯಂಗಳದ ನಿವಾಸಿಗಳನ್ನು ಸ್ಥಳಾಂತರಿಸಲು ಎಲ್ಲಾತರಹದ ಪ್ರಯತ್ನ ಮಾಡಲಾಗುತ್ತಿದ್ದು, ಆದರೆ ವಾಸ್ತವ್ಯದಲ್ಲಿ ಕೆಲ ಸ್ಥಳೀಯರಿಂದ ಅಡಚಣೆಯಾಗುತ್ತಿದ್ದು, ಈ ಎಲ್ಲಾ ಅಡಚಣೆಗಳನ್ನು ಹಂತಹಂತವಾಗಿಯಾವುದೇ ಫರ್ಷಣೆ ಆಗದಂತೆ ಕ್ರಮ ವಹಿಸಲಾಗುತ್ತಿದೆ. ಕೆರೆಯಂಗಳದಲ್ಲಿ ಸುಮಾರು 25 ಕ್ಕಿಂತ ಹೆಚ್ಚು ವರ್ಷಗಳಿಂದ ವಾಸವಿರುವ ನಿವಾಸಿಗಳಿಗೆ ಮನವೊಲಿಸಲು ಈಗಾಗಲೇ ಸ್ಥಳೀಯ ಮುಖಂಡರುಗಳೊಂದಿಗೆ, ಜನಪ್ರತಿನಿಧಿಗಳೊಂದಿಗೆ 6 ಸಭೆಯನ್ನು ಮಾಡಲಾಗಿ, ಅಂತಿಮವಾಗಿ ಪೂರ್ಣ ಪ್ರಮಾಣದಲ್ಲಿ ಸ್ಥಳಾಂತರಿಸಲು ಇನ್ನೂ ಸುಮಾರುಮೂರು ವಾರಗಳ (21 ದಿನಗಳು) ಕಾಲಾವಕಾಶ ಬೇಕಾಗಿರುತ್ತದೆ.

ಆದ್ದರಿಂದ ಈ ಎಲ್ಲಾ ವಿಷಯಗಳನ್ನು ತಮ್ಮದಯಾಪರ ಅವಗಾಹನೆಗಾಗಿ ಸಲ್ಲಿಸುತ್ತಾ, ಕೆರೆಯಂಗಳದಲ್ಲಿ ಉಳಿಕೆ 76 ಶೆಡ್‌ಗಳನ್ನು ತೆರವುಗೊಳಿಸಲು ಇನ್ನೂ ಸುಮಾರು ಮೂರು ವಾರಗಳ (21 ದಿನಗಳು) ಕಾಲಾವಕಾಶ ನೀಡಬೇಕೆಂದು ತಮ್ಮ ಫನ ಅವಗಾಹನೆಗಾಗಿ ಸಲ್ಲಿಸಲಾಗುತ್ತಿದೆ.

ತಮ್ಮ ನಂಬುಗೆಯ

ಸಹಿ/-

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು  
ನಂ.1ನೇ ಉಪವಿಭಾಗ, ಕಕೊಅಮ,  
ಬೆಂಗಳೂರು."

Lok/BCD - 2515/2018.

- 40 -

- 3) Sri Kumar Eashwar, Assistant Executive Engineer, submits that within three weeks, all the inmates of the sheds will be shifted to the flats constructed for them and immediately thereafter; all the sheds will be demolished. The said statement is placed on record. **In the light of what is stated above, Sri Kumar Eashwar, Assistant Executive Engineer is given three weeks time to file the upto date Status Report with regard to the steps taken by him to shift the inmates who are staying in the huts.**
- 4) Sri Lingegowda, Assistant Executive Engineer, BBMP (Lakes), has produced a copy of the Interim Order passed by the Hon'ble High Court of Karnataka in Writ Petitions No.25169/2018 (LB-BMP) & 26867-26956/2018 and the connected records. It is needless to point out that the BBMP is required to take proper steps in the said Writ Petitions either for immediate disposal of the Writ Petitions as the Interim Order granted in the Writ Petitions is limited to the next date of hearing <sup>if needed</sup> or to challenge the said Interim Order by filing an appeal <sup>if needed</sup> in the larger public interest. In this connection,



Sri Lingegowda, Assistant Executive Engineer, may consult the counsel of the BBMP and take immediate steps in the matter.

5) In the course of the discussion, it is brought to my notice that since there is some delay on the part of the BESCO in giving the RR number to each one of the metre fixed in the flats, the electricity connection could not be secured and the inmates in the huts could not be shifted. It is needless to point out, since the larger public interest is involved and the flats have been constructed some time back, the concerned authorities of the BESCO should immediately take steps to co-operate with the Karnataka Slum Clearance Board officers and give the RR number, without further loss of time on preferential basis.


6) **Communicate this Order to the parties concerned and to the Assistant Executive Engineer, S-5 Sub-division, ISRO layout, BESCO, Bengaluru and also to the Executive Engineer, Banashankari Division, Bengaluru South, BESCO, Bengaluru, for compliance with regard to the allotment of RR number. They are directed to submit the Status Report by the next date of hearing, with regard**





to the steps taken by the BESCO, regarding the matters referred to above.

List this case on 26<sup>th</sup> September, 2019 at 3.00 p.m.

  
(Justice P. Vishwanatha Shetty)  
Lokayukta  
State of Karnataka  
23/8/2019

\*VI

7) Additional Registrar of Enq.1

11) 26/09/2019.

ARE-1.

ಗೌ. ಲೋಕಾಯುಕ್ತೆ -  
-ರವರ ಆದೇಶದಂತೆ  
ಎದುರುದಾರರಾಗಿ ನೋಟೀಸ್  
ಕೂಲಿ ಮಾಡಿದ್ದು, ಸ್ವೀಕೃತಿ  
ಮಂಜೂರಿಗೆ. ಕೆ.ಎಂ.ಬೀ.ಸಿ.ಎಂ.ವಿ.ಬಿ  
ಎದುರುದಾರರಾಗಿ ಅನುಪಾಲನಾ  
ವರದಿ ~~ಬಿಡುಗಡೆ~~ ಬಿಡುಗಡೆ ಮಾಡುವುದಿಲ್ಲ.  
ಯುನೈಟೆಡ್ ಮುಂದಿನ ಆದೇಶಕ್ಕಾಗಿ  
ಮಂಜೂರಿಗೆ.  
ಉ. ಲೋಕಾಯುಕ್ತರ ಅನುಪಾಲನಾ ವರದಿ  
ಬಿಡುಗಡೆ ಮಾಡುವುದಿಲ್ಲ.

**KARNATAKA LOKAYUKTA : BENGALURU**

No: Compt/Lok/BCD-2515/2018/ARE-1

Date: 26-09-2019

**ORDER**

Sri. Kumar Eshwar, Assistant Executive Engineer,  
Karnataka Slum Development Board, Bengaluru, has filed  
a status report dated 25-09-2019. It is useful to extract  
the said report, which reads as here under:

**“ಕರ್ನಾಟಕ ಕೊಳಗೇರಿ ಅಭಿವೃದ್ಧಿ ಮಂಡಳಿ**

ಸಹಾಯಕಕಾರ್ಯಪಾಲಕಅಭಿಯಂತರಕಛೇರಿ, ನಂ.1ನೇ ಉಪವಿಭಾಗ,  
ನಂ.55, ರಿಸಲ್ವಾರ್ ರಸ್ತೆ, ಶೇಷಾದ್ರಿಪುರಂ, ಬೆಂಗಳೂರು-560020.ದೂರವಾಣಿ ಸಂಖ್ಯೆ:23464114.

\*\*\*\*\*  
ಸಂಖ್ಯೆ:ಕಕೊಅಮ/ಸಕಾನಿಅ-1/ಬೆಂ/2019-20/ ದಿನಾಂಕ:25.09.2019

ರವರಿಗೆ


ಅಪರನಿಬಂದಕರು (ವಿಚಾರಣೆಗಳು-1)  
ಕರ್ನಾಟಕ ಲೋಕಾಯುಕ್ತ  
ಬೆಂಗಳೂರು.  
ಮಾನ್ಯರೇ,

ವಿಷಯ:- ಎಚ್.ಎಸ್.ದೊರೆಸ್ವಾಮಿಎಂಬುವರು. ಲೋಕಾಯುಕ್ತ ಸಂಸ್ಥೆಯಲ್ಲಿ ನೀಡಿರುವ  
ದೂರಿನಕುರಿತು.

ಉಲ್ಲೇಖ:- ತಮ್ಮಕಛೇರಿನೋಟೀಸ್‌ಪತ್ರ ಸಂಖ್ಯೆ: ಲೋಕ್;ಬಿಸಿಡಿ;2515/2018,  
ದಿನಾಂಕ:28.08.2019.

\*\*\*\*\*

ಮೇಲ್ಕಂಡ ವಿಷಯಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ, ಬೆಂಗಳೂರು ನಗರ, ಬೆಂಗಳೂರು ದಕ್ಷಿಣ  
ವಿಧಾನ ಸಭಾಕ್ಷೇತ್ರದ ಉತ್ತರಹಳ್ಳಿಯಲ್ಲಿರುವ ಸುಬ್ರಮಣ್ಯಪುರಕೆರೆಗೆ ಸಂಬಂಧಿಸಿದಂತೆ ಮಾನ್ಯ  
ಲೋಕಾಯುಕ್ತರ ಘನ ಉಪಸ್ಥಿತಿಯಲ್ಲಿ ದಿನಾಂಕ:28.08.2019ರಂದು ಅಧಿಕಾರಿಗಳ



ಮತ್ತು ಅರ್ಜಿದಾರರೊಂದಿಗೆ ಸಭೆ ನಡೆಸಿ, ಮಾನ್ಯ ಲೋಕಾಯುಕ್ತರು ನೀಡಿದ ನಿರ್ದೇಶನಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ, ಮಂಡಳಿವತಿಯಿಂದ ಕೈಗೊಂಡಿರುವ ಕ್ರಮದ ಬಗ್ಗೆ ಈ ಕೆಳಕಂಡಂತೆ ವಿವರ ಸಲ್ಲಿಸಲಾಗುತ್ತಿದೆ.

ಕ್ರ.ಸಂ	ನೀಡಿರುವ ನಿರ್ದೇಶನ	ಮಂಡಳಿಯು ಕೈಗೊಂಡಕ್ರಮ
1	ಬೆಸ್ಕಾಂ ವತಿಯಿಂದ ವಿದ್ಯುತ್ ಸಂಪರ್ಕಕಲ್ಪಿಸುವ ಸಂಬಂಧಪ್ರತಿ ಮನೆಗೂ ಆರ್‌ಆರ್ ನಂಬರ್ ಪಡೆದು, ಎನರ್ಜಿ ಮೀಟರ್ ಅಳವಡಿಸುವ ಬಗ್ಗೆ	ಬೆಸ್ಕಾಂ ಸರ್ಕಾಸ್ ಎಸ್-5 ಉಪವಿಭಾಗಇಸ್ತೋ ಲೇಔಟ್, ರವರು ರೂ.5,25,000/-ಗಳ ಭದ್ರತಾಠೇವಣಿ ಪಾವತಿಸಲು ದಿನಾಂಕ:12.09.2019 ರಂದು ಮಂಡಳಿಗೆ ಪತ್ರ ರವಾನಿಸಿದ್ದು, ಸದರಿ ಮೊತ್ತಕ್ಕೆ ಮಂಡಳಿಯಿಂದ ದಿನಾಂಕ:24.09.2019 ರಂದುಡಿ.ಡಿ ಸಂ:174348, ರೂ.5,25,000/-ಗಳನ್ನು ಕಾರ್ಪೊರೇಷನ್ ಬ್ಯಾಂಕ್, ಮಲ್ಲೇಶ್ವರನಿಂದ ಪಡೆದು ಬೆಸ್ಕಾಂ ಇಲಾಖೆಗೆ ದಿನಾಂಕ:25.09.2019ರಂದು ಸಲ್ಲಿಸಲಾಗಿರುತ್ತದೆ. (ಪ್ರತಿ ಲಗತ್ತಿಸಿದೆ)

ಮುಂದುವರೆದಂತೆ ಸರ್ಕಾರದ ಆದೇಶ ಸಂಖ್ಯೆ: ವಇ 80 ಕೊಮಂಲೆ 2013, ಬೆಂಗಳೂರು, ದಿನಾಂಕ:21ನೇ ಜೂನ್ 2014ರ ಕಂಡಿಕೆ (2)ರಲ್ಲಿ ಸೂಚಿಸಿರುವಂತೆ "ಹೊಸದಾಗಿ ಪಡೆಯುವ ಸಂಪರ್ಕಗಳಿಗೆ ಸಂಬಂಧಿಸಿದಂತೆ ಫಲಾನುಭವಿಗಳ ಹೆಸರಿನಲ್ಲಿ ಮೀಟರ್‌ಗಳನ್ನು ಪಡೆಯಬೇಕೆಂಬ ಆದೇಶವಿರುತ್ತದೆ". (ಪ್ರತಿ ಲಗತ್ತಿಸಿದೆ) ಸದರಿ ಕೊಳಚೆಪ್ರದೇಶದ ನಿವಾಸಿಗಳಿಗೆ ಮೀಟರ್‌ಖರೀದಿಸುವ ಸಂಬಂಧ ಮೊತ್ತವನ್ನು ಪಾವತಿಸಲು ಫಲಾನುಭವಿಗಳು ಮುಂದೆ ಬರುತ್ತಿಲ್ಲ. ಆದರೆ ಕೆರೆಯಂಗಳದ ನಿವಾಸಿಗಳನ್ನು ಕೆರೆಯನ್ನು ಅಭಿವೃದ್ಧಿ ಪಡಿಸುವ ಸಲುವಾಗಿ ತುರ್ತಾಗಿ ಸ್ಥಳಾಂತರಿಸಬೇಕಾದ್ದರಿಂದ ಸದರಿ ಮೀಟರ್‌ಗಳ ಮೊತ್ತವನ್ನು ಮಂಡಳಿಯಿಂದಲೇ ಪಾವತಿಸಲು ಅನುವು ಮಾಡಿಕೊಳ್ಳಲಾಗಿರುತ್ತದೆ. ಈ ಹಿನ್ನೆಲೆಯಲ್ಲಿ ದಿನಾಂಕ:25.09.2019ರಿಂದಲೇ ಮೀಟರ್‌ಗಳನ್ನು ಖರೀದಿಸಲು ಪ್ರಾರಂಭಿಸಲಾಗಿದ್ದು, ಮೀಟರ್‌ಗಳನ್ನು ಮನೆಗಳಿಗೆ ಅಳವಡಿಸಿ, ಬೆಸ್ಕಾಂ ಅಧಿಕಾರಿಗಳಿಂದ ಟ್ರಾನ್ಸ್‌ಫಾರ್ಮರ್‌ಚಾರ್ಜ್ ಮಾಡಿಸಿ, ಸಂಪರ್ಕ ಪಡೆದತಕ್ಷಣ ಶೀಘ್ರದಲ್ಲೇ ಕೆರೆಯಂಗಳದ ನಿವಾಸಿಗಳನ್ನು ಸ್ಥಳಾಂತರಿಸಲಾಗುವುದೆಂಬ ಮಾಹಿತಿಯನ್ನು ತಮ್ಮ ಅವಗಾಹನೆಗೆ ಸಲ್ಲಿಸಲಾಗಿದೆ.

ತಮ್ಮ ನಂಬುಗೆಯ

ಸಹಿ/-


ಸಹಾಯಕ ಅಭಿಯಂತರರು  
ನಂ.1ನೇ ಉಪವಿಭಾಗ, ಕಕೊಅಮ,  
ಬೆಂಗಳೂರು.

ಸಹಿ/-

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು  
ನಂ.1ನೇ ಉಪವಿಭಾಗ, ಕಕೊಅಮ,  
ಬೆಂಗಳೂರು".

2. Sri. Kumar Eshwar submitted that, on 27<sup>th</sup> itself, the necessary meters will be purchased and installation work will commence. He submitted that the work of fixing of meters for 88 flats will be completed within three weeks. They are given two weeks time for completing the fixing of the meters and all other incidental works relating to secure electricity connection to the flats in question. Sri. Kumar Eshwar submitted that after electricity connection is given within a week, all the persons who are now residing in the huts located near the lake will be shifted to the flats in question. The said statement is placed on record.

3. Sri. Lingegowda, Assistant Executive Engineer, Bruhat Bengaluru Mahanagara Palike (Lakes) (herein after referred to as '**BBMP**' for short), submitted that the steps will be taken to install 0.5 mld STP on the lake in question immediately after the shifting of the persons/occupants. The said statement is placed on record. It is needless to point out that BBMP is required to send a proposal to Karnataka State Pollution Control Board (herein after referred to as '**KSPCB**' for short) and secure their approval.




On such request made by BBMP, the KSPCB without loss of time, if required, give the necessary suggestions/propose a proposal. Sri.Kumar Eshwar submitted that at the time of shifting of the inmates, he may be given the assistance of Police. It is needless to point out that if such a request is made, the jurisdictional Police are required to give all assistance to avoid any untoward incident taking place, as it is duty of the Police to maintain law and order.

4. In the light of what is stated above, **the Respondents are given eight weeks time to comply with the earlier direction given** and the observation made above, by the next date of hearing. All the parties are directed to file the status report with regard to the steps they have taken.

5. Communicate this order to the parties.

List this case on **11-12-2019 at 03-00 p.m.**

  
(Justice P. Vishwanatha Shetty),  
Lokayukta,  
Karnataka State. 24/9/2019

AS\*

**KARNATAKA LOKAYUKTA, BENGALURU**

No:Compt/LOK/BCD-2515/2018 Date : 12-12-2019

**ORDER.**

On behalf of the complainant  
Sri H.S.Doreswamy, Sri Lakshmikanth is present.

2. On behalf of Karnataka Slum Development Board, Sri Kumar Eashwar, Assistant Executive Engineer is present. He has filed a status report dated 09-12-2019. It is useful to extract the same which reads as hereunder:

“ವಿಷಯ:- ಎಚ್.ಎಸ್.ದೊರೆಸ್ವಾಮಿಎಂಬುವರು, ಲೋಕಾಯುಕ್ತ ಸಂಸ್ಥೆಯಲ್ಲಿ ನೀಡಿರುವ ದೂರಿನಕುರಿತು.  
ಉಲ್ಲೇಖ:- ತಮ್ಮಕಛೇರಿನೋಟೀಸ್‌ಪತ್ರ ಸಂಖ್ಯೆ: ಲೋಕ್;ಬಿಸಿಡಿ; 2515/2018/ಎಸ್ ದಿನಾಂಕ:03.10.2019.

\*\*\*\*\*

ಮೇಲ್ಕಂಡ ವಿಷಯಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ, ಬೆಂಗಳೂರು ನಗರ, ಬೆಂಗಳೂರು ದಕ್ಷಿಣ ವಿಧಾನ ಸಭಾಕ್ಷೇತ್ರದ ಉತ್ತರಹಳ್ಳಿಯಲ್ಲಿರುವ ಸುಬ್ರಮಣ್ಯಪುರಕೆರೆಗೆ ಸಂಬಂಧಿಸಿದಂತೆ ಮಾನ್ಯ ಲೋಕಾಯುಕ್ತರ ಘನ ಉಪಸ್ಥಿತಿಯಲ್ಲಿ ದಿನಾಂಕ:26.09.2019ರಂದು ಅಧಿಕಾರಿಗಳ ಸಭೆ ನಡೆಸಿ, ಮಾನ್ಯ ಲೋಕಾಯುಕ್ತರು ನೀಡಿದನಿರ್ದೇಶನಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ, ಮಂಡಳಿವತಿಯಿಂದ ಕೈಗೊಂಡಿರುವಕ್ರಮದ ಬಗ್ಗೆ ಈ ಕೆಳಕಂಡಂತೆ ವಿವರ ಸಲ್ಲಿಸಲಾಗುತ್ತಿದೆ.

SI. No	Direction	Action taken
1	Providing temper proof Energy metre for 880 Houses at Bhuvaneshwarinagara Slum Regarding Shifting of 88 Slum dwellers. Residing at Subramanyapura lake.	1) <b><u>On 06.11.2019 Tender was called vide Notification No.KSDB/EE/No.1 Div/Bang /IFT-15/ 2019-20 from Division Office,</u></b>  For Providing temper proof Energy meter and installation with necessary fittings, wiring from house

		<p>to meter board for 880 DU's, sumptank motors and street lights at Bhuvaneshwarinagara Slum, Bangalore South Constituency, Bangalore.</p> <p>2) For Submitting tender through e-procurement timewas given upto <b>date 20.11.2019</b></p> <p>3) <b>On 04.12.2019 Tender Evaluation Commity</b> after scrutiny of all tenders, has Finalised the tender of Sri K.Manjunath (Techno Electricals) for Rs.15,30,227/-</p> <p>4) <b>On 06.12.2019 Executive Engineer</b> vide Ltr No. ಕಕೋಅಮ/ಕಾಪಾಲ/ನಂ.1ನೇಎ/IFT-15/2019-20/608 has submitted proposal for Approval of tender.</p> <p>5) now tender approval from competent authority is expected in 2 days, after approval necessary energy meter will be purchased &amp; Fixed with in <b>15 days</b>, immediately all the 88 huts in lake side will be shifted to the newly constructed flats and sheds will be cleared.</p>
--	--	---

ಮೇಲೆ ವಿವರಿಸಿರುವಂತೆ ಮಂಡಳಿವತಿಯಿಂದ ದಿನಾಂಕವಾರು ಕೈಗೊಂಡ ಕ್ರಮವನ್ನು ತಮ್ಮ ಘನ ಅವಗಾಹನೆಗಾಗಿ ಸಲ್ಲಿಸುತ್ತಾ, ಇನ್ನೂ 15 ದಿನಗಳೊಳಗೆ Energy Meter ಖರೀದಿಸಿ, ಮನೆಗಳಿಗೆ ಅಳವಡಿಸಿ, ಕೆರೆಯಂಗಳದಲ್ಲಿರುವ 88 ನಿವಾಸಿಗಳನ್ನು ಸ್ಥಳಾಂತರಿಸಿ, ಶೆಡ್‌ನ್ನು ತೆರವುಗೊಳಿಸಲಾಗುವುದು.”

3. Sri Channakeshavamurthy.P.R, Executive Engineer, BESCOM is present along with Sri Ramaiah, Assistant Executive Engineer.


4. Sri Satish Reddy, Executive Engineer, BWSSB is present.

5. On behalf of Pollution Control Board Sri R.V.Bhat, Law Officer is present along with Sri Dinesh, Environmental Officer.

6. Smt. Sapna, Assistant Executive Engineer, BBMP is present.

4. The Executive Engineer, BESCOM submitted that, since the meters have not yet been fixed to the flats, they have not been able to give connection. He further submitted that, the power connection will be given within 24 hours from the date of fixing of meters to the flats. The statement made by the Executive Engineer, BESCOM is placed on record.

4. Sri Kumar Eashwar submits that, if one week time is given, the meters will be fixed to the flats. He further submitted that, the tenders have been called for and tenders were opened and work order is also given. I do not find any good reason for not getting the meter fixed till now to the flats in question.





Whether there is any negligence on the part of the Slum Clearance Board requires investigation. Sri Kumar Eashwar is directed to file compliance report within a week from today.

5. Smt. Sapna, AEE, BBMP submitted that, in the light of the Interim Order dated 14-08-2019 passed by the Hon'ble High Court, the BBMP is unable to proceed with the earlier direction etc. Further she submitted that the matter is listed before the Hon'ble High Court on 18-12-2019.


6. The BWSSB is directed to file a status report with regard to the steps taken by them to install 0.5 mld STP on the lake in question by the next date of hearing.

7. The presence of the officers of the Pollution Control Board is dispensed with on the next date of hearing.

8. Communicate this order to all the parties concerned.



List this matter on 19-12-2019 at 03.00 p.m.

  
(Justice P. Vishwanatha Shetty) 12/12/2019  
Lokayukta, State of Karnataka

ck\*

ARE-1)

complied para.8.  
on 16/12/19.

**KARNATAKA LOKAYUKTA, BENGALURU**

No. Compt/Lok/BCD-2515/2018

Date: 20.12.2019

**ORDER**

1. On behalf of the complainant Sri. Doreswamy, Sri. Lakshmikanth is present


2. On behalf of the Karnataka Slum Development Board, Sri. Kumar Eashwar, Assistant Executive Engineer is present.

3. On behalf of Namma Bengaluru Foundation Sri. Lakshmikanth has submitted a letter dated 19.12.2019. The same is placed on record.

4. Sri. Kumar Eshwar, Assistant Executive Engineer, the Karnataka Slum Development Board submits that within another two days, entire work would be completed. His statement is placed on record.

In the light of what is stated above, **list this matter on 16<sup>th</sup> January, 2020 at 3:00 P.M.**

Communicate this order to the parties concerned.

  
(Justice P. Vishwanatha Shetty), 19/12/2019  
Lokayukta,  
State of Karnataka.

**KARNATAKA LOKAYUKTA : BENGALURU**

No: Compt/Lok/BCD-2515/2018/DRE-3/Secy. Date: 16-01-2020

**ORDER**

Sri. Kumar Eshwar, Assistant Executive Engineer, Karnataka Slum Development Board, Bengaluru, is present along with Sri. Maligaiah, Assistant Engineer.

2. Sri. Satish Reddy, Executive Engineer, Bengaluru Water Supply and Sewerage Board, is present.

3. Sri. Kumar Eshwar has filed a status report dated 14-01-2020. It is useful to extract the said report, which reads as here under:

**“ಕರ್ನಾಟಕ ಕೊಳವೆಗೇರಿ ಅಭಿವೃದ್ಧಿ ಮಂಡಳಿ**

ಸಂಖ್ಯೆ: ಕಕೊಅಮ/ಸಕಾನಿಅ-1/ಬೆಂ/2019-20

ದಿನಾಂಕ: 14.01.2020

ರವರಿಗೆ

ಗೌರವಾನ್ವಿತ ಲೋಕಾಯುಕ್ತರವರ ಕಾರ್ಯದರ್ಶಿಗಳು,  
ಕರ್ನಾಟಕ ಲೋಕಾಯುಕ್ತ,  
ಬೆಂಗಳೂರು.

ಮಾನ್ಯರೇ,

ವಿಷಯ: ಎಚ್.ಎಸ್.ದೊರೆಸ್ವಾಮಿ ಎಂಬುವರು ಲೋಕಾಯುಕ್ತ ಸಂಸ್ಥೆಯಲ್ಲಿ  
ನೀಡಿರುವ ದೂರಿನ ಕುರಿತು.

ಉಲ್ಲೇಖ: ತಮ್ಮ ಕಛೇರಿ ನೋಟೀಸ್ ಪತ್ರ ಸಂಖ್ಯೆ:  
ಲೋಕ್;ಬಿಸಿಡಿ;2515/2018/ಡಿಆರ್‌ಇ-3, ದಿನಾಂಕ: 20/12/2019.

\*\*\*

ಮೇಲ್ಕಂಡ ವಿಷಯಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ, ಬೆಂಗಳೂರು ನಗರ, ಬೆಂಗಳೂರು ದಕ್ಷಿಣ  
ವಿಧಾನ ಸಭಾ ಕ್ಷೇತ್ರದ ಉತ್ತರಹಳ್ಳಿಯಲ್ಲಿರುವ ಸುಬ್ರಮಣ್ಯಪುರ ಕೆರೆಗೆ ಸಂಬಂಧಿಸಿದಂತೆ  
ಮಾನ್ಯ ಲೋಕಾಯುಕ್ತರ ಘನ ಉಪಸ್ಥಿತಿಯಲ್ಲಿ ದಿನಾಂಕ: 19.12.2019ರಂದು ಅಧಿಕಾರಿಗಳ

ಸಭೆ ನಡೆಸಿ, ಮಾನ್ಯ ಲೋಕಾಯುಕ್ತರು ನೀಡಿದ ನಿರ್ದೇಶನಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ, ಮಂಡಳಿವತಿಯಿಂದ ಕೈಗೊಂಡಿರುವ ಕ್ರಮದ ಬಗ್ಗೆ ಅನುಪಾಲನಾ ವರದಿಯನ್ನು ನಿಗದಿತ ದಿನಾಂಕದೊಳಗೆ ಸಲ್ಲಿಸಲು ಸೂಚಿಸಲಾಗಿರುತ್ತದೆ.

ಅದರಂತೆ ಕೆರೆಯಂಗಳದಲ್ಲಿರುವ 99 ಫಲಾನುಭವಿಗಳನ್ನು ವಸತಿ ಸಂಕೀರ್ಣಗಳಿಗೆ ಸ್ಥಳಾಂತರಿಸಿ, ವಿದ್ಯುತ್ ಮೀಟರ್‌ಗಳನ್ನು ಅಳವಡಿಸಲಾಗಿರುತ್ತದೆ ಹಾಗೂ ಟ್ರಾನ್ಸ್‌ಫಾರ್ಮರ್‌ಗಳಿಗೆ ವಿದ್ಯುತ್ ಜಾಲನೆಗೊಳಿಸಲಾಗಿರುತ್ತದೆ. ಸದರಿ ಮಾಹಿತಿಯನ್ನು ತಮ್ಮ ಘನ ಅವಗಾಹನೆಗಾಗಿ ಸಲ್ಲಿಸಿದೆ.

ಸಹಿ/-


ಸಹಾಯಕ ಅಭಿಯಂತರರು  
ನಂ. 1ನೇ ಉಪವಿಭಾಗ, ಕಕೋಅಮು,  
ಬೆಂಗಳೂರು.

ಸಹಿ/-

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು  
ನಂ. 1ನೇ ಉಪವಿಭಾಗ, ಕಕೋಅಮು,  
ಬೆಂಗಳೂರು.


4. As it can be seen from the status report extracted above, all the 99 (ninety nine) beneficiaries have been shifted from the lake area to the flats allotted to them. It is also stated in the report that the electrical meters have been provided to each one of the flats and the transformers are in working condition. Therefore, according to Sri. Kumar Eshwar, whatever work was required to be done by the Karnataka Slum Development Board, it has been carried out. The statement of Sri.Kumar Eshwar is placed on record.

5. Sri. Satish Reddy, Executive Engineer, Bengaluru Water Supply and Sewerage Board (herein after, referred to as '**BWSSB**' for short) submits that the discharge of affluent



substance from the flats are directly connected to the STP installed at Mylasandra. He submits that there is no chance of affluent substance that is being discharged from the flats built by the Karnataka Slum Development Board, entering the Subramanyapura lake. He further submitted that he requires some time to verify as to whether any other affluent substances are being discharged to the lake. He is given 12 (twelve) weeks time to verify and submit. If there is any other affluent substance that is being discharged to the lake, it is needless to point out that the BWSSB has to take immediate steps to prevent the discharge of affluent substance to the lake and the same is required to be monitored by the Karnataka State Pollution Control Board.

6. In my order dated 16-04-2019 at Paragraph 7, I had observed that the BBMP is required to carry out the fencing work of the lake and that is required to be done once the beneficiaries to whom the flats are allotted, vacate the lake area and occupy the flats. Since it is now been stated that 99 beneficiaries have already been shifted to




the flats, the BBMP has to take steps to fence the lake area.

7. At Paragraph 3 of my order dated 26-09-2019, I had recorded the statement of the Assistant Executive Engineer of BBMP that the BBMP would take steps to install 0.5 mld STP in the lake immediately after shifting the persons occupying the lake area since 99 families have been shifted. It is needless to point out that BBMP has to take steps to install STP. They are given 12 (twelve) weeks time to file status report.

8. The presence of the parties/Respondents is dispensed with on the next date of hearing, subject to the condition the status report is filed.

9. Communicate this order to the parties and also to the Chief Engineer (Lakes), BBMP, Bengaluru.

List this case on **26-03-2020 at 03-00 p.m.**

  
(Justice P. Vishwanatha Shetty), 16/1/2020,  
Lokayukta,  
Karnataka State.

AS\*

Complied para  
n 18/1/2020

No:Compt/LOK/BCD-2515/2018/DRE-3

Date:-19.03.2020.

In view of Office Note No:LOK/RGR/  
adj.Compt./NCV/2020, dated:16.03.2020  
this matter is adjourning to 19.06.2020  
and issue notice to both parties to appear  
on **19.6.2020 at 3.00 P.M.**

*Complied above para.*

  
DRE-3

*BWSSB letter dt:17-3-2020  
received.*

As per the direction of Hon'ble  
Lokayukta, this matter is adjourned.

Issue fresh notice to the parties  
concerned.

List this matter on 05/09/2020 at  
03.00 p.m.

  
Secretary to Hon'ble Lokayukta

*Complied para.*



As per O.M. No:LOK/Reg/Complaints/2020, dated:28.05.2020 this file is transferred from DRE-3 to Secretary to Hon'ble Lokayukta.

Reports are not received  
from C.E.O. Namma  
Bengaluru foundation,  
AEE, KSDB, E.E., BWSSB  
and Chief Engineer. Lakes  
BBMP. Submitted for  
Kind Orders.

P  
5/9/2020

10] Secretary :-

LOK/BCD-2515/2018

10) Secretary)

Reports are not received from the BBMP BWSSB and KSPCB.

11) Hence, my lord if approved;

(i) One more reminder will be issued to the AEE, BBMP to submit the status report about the steps taken to install 0.5 MLD STP in the lake and also for fencing the lake area.

(ii) Reminder will be issued to the Executive Engineer, BWSSB to submit the status report as directed by the Hon'ble Lokayukta in the order dated 16.01.2020 with respect to steps taken to prevent discharge of effluent substances into the lake in question.

(iii) Reminder will be issued to KSPCB to submit the status report about the inspection of lake in question.

Call on 11.12.2020.

Submitted for kind orders.

*[Signature]*  
Secretary

12) Hon'ble Lokayukta)

*[Signature]*  
6/11/2020

*Coupled paper.*

→ E.E. Lakes, B.B.M.P.

report dtd. 21.10.2020 received

→ E.E. B.W.S.S.B., Bengaluru report

dtd. 21.11.2020 received.

→ Letter from the Complainant

dtd. 20.11.2020 received.

→ Report is not received from  
the authorities of K.S.P.C.B.

Submitted for kind orders.

21/12/2020

13] Secretary.

LOK/BCD-2515/2018

13) Secretary)

Received a report dated 21.11.2020 from the Executive Engineer (SWM)-1 Division, BWSSB stating that the work with regard to installation of STP is in progress and it is likely to be completed by March-2021 and once the said work is

completed, the discharge of sewage into the lake in question will be prevented.

14. Received a report dated 21.10.2020 from the Chief Engineer (Lakes), BBMP stating that in view of interim order dated 14.08.2019 passed by the Hon'ble High Court of Karnataka in W.P. 38401/2014, they are not in a position to take up the developmental work in the lake in question and an interim application has already been filed for vacating interim order and if the interim order is vacated, the developmental work will be taken up.

15. Received a letter dated 02.11.2020 from the complainant Sri. H.S. Doreswamy about his present address and requesting to forward the copies of all correspondence relating to his complaints to the address mentioned in the said letter. Therefore, in the cause title of the note sheet, the present address of the complainant is required to be updated.

16. The report is not received from the authorities of KSPCB.

17. Hence, my lord, if approved;

(i) Notice will be issued to the Chief Engineer (Lakes), BBMP to submit the report regarding the steps taken for getting the interim

order vacated by the Hon'ble High Court in W.P.  
No. 38401/2014.

(ii) Reminder will be issued to the  
authorities of KSPCB to submit the report as  
directed earlier.


(iii) The present address of the  
complainant Sri. H.S. Doreswamy will be updated  
in the cause title of note sheet and the copy of this  
note will be forwarded to him for his information.

Call on 02.02.2021.

Submitted for kind orders.


  
Secretary

18) Hon'ble Lokayukta)

  
14/11/2020


-> Acknowledgements received,  
but reports are not received  
from the Chief Engineer,  
Lakes, B.B.M.P and the authorities  
of K.S.P.E.B.

Submitted for kind orders

  
2/2/2021

19) Secretary:-

Issue Reminder  
by - 9-4-2021

  
2/2/2021

→ Letter dtd. 27.02.2021 & 21/1/2021  
received from the  
Complainant.  
Submitted for kind orders.

**KARNATAKA LOKAYUKTA, BENGALURU**

No.Compt/LOK/BCD-2515/2018  
(Subramanyapura Lake)

Date : 10.03.2021

**O R D E R**

The complainant in this complaint had written two letters dated 02.01.2021 and 27.02.2021. It is useful to extract the contents of the said two letters which reads as hereunder –

Letter dated 02.01.2021 –


“ಸ್ವಾಮಿ,

ನಾನು ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆಯಿಂದ ಮಾಹಿತಿ ಹಕ್ಕು ಕಾಯ್ದೆಯಡಿ ಬೃಹತ್ ಬೆಂಗಳೂರುಮಹಾನಗರಪಾಲಿಕೆಯ ವಶದಲ್ಲಿರುವ ಕೆರೆಗಳ ಅಭಿವೃದ್ಧಿಗೆ 2009-10 ರಿಂದ 2020-21ರವರೆಗೆ ಆಗಿರುವ ಖರ್ಚುಗಳ ವಿವರಗಳನ್ನು ಕೇಳಿದ್ದೆ.

ಬಿಬಿಎಂಪಿ ಎಕ್ಸ್‌ಕ್ಯೂಟಿವ್ ಇಂಜಿನಿಯರ್ (ಕೆರೆಗಳ ವಿಭಾಗ) ಅವರು ಕಳಿಸಿರುವ ಪಟ್ಟಿಯ ಜಿರಾಕ್ಸ್ ಪ್ರತಿಯನ್ನು ತಮಗೆ ಸಲ್ಲಿಸುತ್ತಿದ್ದೇನೆ.

ಈ 12 ವರ್ಷಗಳಲ್ಲಿ ಬೆಂಗಳೂರಿನ 168 ಕೆರೆಗಳ ಮೇಲೆ ಸುರಿದಿರುವ ಹಣದ ವಿವರಗಳನ್ನು ಅವರು ನೀಡಿದ್ದಾರೆ.

ಈ 12 ವರ್ಷದಲ್ಲಿ ಕೆರೆಗಳನ್ನು ಶುದ್ಧಗೊಳಿಸಿ, ಬೆಂಗಳೂರಿನ ಜನರಿಗೆ ಶುದ್ಧ ನೀರು ಒದಗಿಸುವ ಸಲುವಾಗಿ ಒಟ್ಟು ಸುಮಾರು



ಕೋಟಿ ರೂ.ಗಳನ್ನು ವ್ಯರ್ಥಮಾಡಿದೆ. ಕೆಲವು ಕೆರೆಗಳಾದರೂ ಶದ್ಧ ನೀರನ್ನು ಒದತಿಸುವ ಸ್ಥಿತಿಯಲ್ಲಿದೆಯೇ? ಈ ನಾಟಕಕ್ಕೆ ಕೂಡಲೇ ಇತಿಶ್ರೀ ಹಾಡಬೇಡವೆ?

ತಾವು ಈ ರೀತಿ ಪೋಲಾಗುತ್ತಿರುವ ಹಣವನ್ನು ತಡೆಗಟ್ಟಲು ಕಠಿಣ ಕ್ರಮ ತೆಗೆದುಕೊಳ್ಳಬೇಕೆಂದು ವಿನಂತಿ ಮಾಡಿಕೊಳ್ಳುತ್ತೇನೆ. ನೀವು ವಿಚಾರಣೆಗೊಳಪಡಿಸಿರುವ ಕೆರೆಗಳನ್ನಾದರೂ ದೋಷಮುಕ್ತಗೊಳಿಸುವ ಸರ್ಕಾರದ ನಿರೀಕ್ಷೆಯ ನಿಮ್ಮಿಂದಾಗಲಿ.”

Letter dated 27.02.2021

”ದಿನಾಂಕ: 27-02-2021

ಗೌರವಾನ್ವಿತ ಲೋಕಾಯುಕ್ತರು,  
ಬೆಂಗಳೂರು, ಇವರಿಗೆ ನಮಸ್ಕಾರ.

ನಾನು ಈ ಹಿಂದೆ ಬಿ.ಬಿ.ಎಂ.ಪಿ ಕಚೇರಿಯಿಂದ ಬಂದಿರುವ 18 ಕೆರೆಗಳ ಮೇಲೆ ವರ್ಷ ವರ್ಷವೂ ಸುರಿಯುತ್ತಿರುವ ಹಣದ ವಿವರಗಳನ್ನು ತಮಗೆ ಕಳುಹಿಸಿದ್ದೆ.

ಯುನೈಟೆಡ್, ಬೆಂಗಳೂರು ವತಿಯಿಂದ ನಾನು ಸಲ್ಲಿಸಿರುವ ಕೆಲ ಅರ್ಜಿಗಳ ವಿಚಾರಣೆಯನ್ನು ತಾವು 3 ವರ್ಷದಿಂದ ನಡೆಸುತ್ತಿದ್ದೀರಿ.

ಈ ಕೆರೆಗಳಿಗೆ ಬಂದು ಬೀಳುತ್ತಿರುವ ಕಸದ ರಾಶಿ, ಆಗಿರುವ ಒತ್ತುವರಿಯ ತೆರವು, ಹರಿದು ಬರುತ್ತಿರುವ ಕೊಳಚೆ ನೀರು, ಕೆರೆಯ ಅಂಗಳದ ಸ್ವಲ್ಪ ಜಾಗವನ್ನು ಬಳಸಿಕೊಂಡಿರುವ ಬಹುಮಹಡಿ ಕಟ್ಟಡಗಳು ಇವೆಲ್ಲವೂ ತೆರವಾಗುವ ಮೊದಲು ಪ್ರತಿ ವರ್ಷವೂ ಬಿ.ಬಿ.ಎಂ.ಪಿ ಖರ್ಚು ಮಾಡುತ್ತಿರುವ ಇತರೇ ಲಕ್ಷಾಂತರ ರೂ.ಗಳನ್ನು ದುರ್ವ್ಯಯ ಮಾಡದಂತೆ





ತಡೆಗಟ್ಟುವ ಕೆಲಸವನ್ನು ತಾವು ಜರೂರಾಗಿ ಮಾಡಬೇಕೆಂದು  
ವಿನಂತಿಸಿಕೊಳ್ಳುತ್ತೇನೆ.

ಕೆರೆಗೆ ಮಲಿನ ನೀರು ಸೇರದಂತೆ, ಕಸಕಡ್ಡಿ ಕೆರೆಯಂಗಳದಲ್ಲಿ  
ಬೀಳದಂತೆ ಕ್ರಮಕೈಗೊಂಡಲ್ಲದೆ, ಕೆರೆಯ ಅಭಿವೃದ್ಧಿಯ ಹೆಸರಿನಲ್ಲಿ ಪ್ರತಿ  
ವರ್ಷ ಸುರಿಯುವ ಹಣ ದುರ್ವ್ಯಯವಾಗುತ್ತಿದೆ ಎಂಬುದು ನನ್ನ  
ಆಪಾದನೆ.


ಆದ್ದರಿಂದ, ಘನತೆವೆತ್ತ ತಾವು, ಕೆರೆ ಕಲುಷಿತವಾಗಲು ಬಿಡದಂತೆ  
ಮಾಡುವ ಖರ್ಚುಗಳನ್ನು ಕೂಡ ಬಹುದೆಂದು, ಈ ಕೆಲಸ  
ಮುಗಿಯುವವರೆಗೆ ಯಾವ ಕೆರೆಯಲ್ಲೂ ಬೇರೆ ಕೆಲಸಗಳನ್ನು ಕೈಗೊಂಡು  
ಪ್ರತಿ ವರ್ಷ ಲಕ್ಷಗಟ್ಟಲೆ ಹಣ ದುರ್ವ್ಯಯವಾಗದಂತೆ ಬಿ.ಬಿ.ಎಂ.ಪಿ ಗೆ  
ತಾಖೀತು ಮಾಡಲೇಬೇಕೆಂದು ವಿನಯಪೂರ್ವಕವಾಗಿ  
ವಿನಂತಿಸಿಕೊಳ್ಳುತ್ತೇನೆ.

ಈ ಕಟ್ಟುನಿಟ್ಟಾದ ಆರ್ಡರನ್ನು ತಾವು ಕೂಡಲೇ ಮಾಡದಿದ್ದರೆ  
ಇನ್ನೂ ನೂರು ವರ್ಷ ಕಳೆದರೂ ಬೆಂಗಳೂರಿನ ಒಂದು ಕೆರೆಯು  
ಸ್ವಚ್ಛಗೊಳ್ಳುವ ಸಂಭವವಿಲ್ಲ. ನಮ್ಮ ಗುರಿ ಈ ಕೆರೆಗಳ ನೀರು ಕುಡಿಯಲು  
ಯೋಗ್ಯವಾಗಬೇಕು. ಬೆಂಗಳೂರು ಜನರ ಕಾವೇರಿ ನೀರಿನ ಅವಲಂಬನೆ  
ಕಡಿಮೆಯಾಗಿ, ಈ ಕೆರೆಗಳ ನೀರನ್ನು ಜನ ಬಳಸುವುದಾಗಬೇಕು.  
ತಮ್ಮಿಂದ ಈ ಮಹತ್ತರ ಕೆಲಸ ಆಗಬೇಕು ಎಂಬುದು ನನ್ನ ಹಂಬಲ.

ತಮ್ಮ ವಿಧೇಯಕ,

ಸಹಿ/-

ಹೆಚ್.ಎಸ್. ದೊರೆಸ್ವಾಮಿ



2) As it can be seen from the contents of the letters extracted above, it is the grievance of the complainant that though substantial money has been spent for the development of the lakes, it has not produced the desired results, by rejuvenating the lakes up to the standard it is required to be rejuvenated. These are the matter which calls for investigation, after seeking the comments of the respondent. On account of prevailing Covid-19 situation, though the matter was being heard earlier, the above matter was not listed for some time. Having regard to the facts and circumstances of the case, it is desirable to fix this proceeding for hearing. The respondents are directed in the meanwhile to submit the Status Report with regard to the steps taken on the following matters –


- (i) Steps taken to rejuvenate the lake.
- (ii) For removal of the encroachment.
- (iii) The report of the Karnataka State Pollution Control Board, with regard to the quality of the water in the lake.
- (iv) Steps taken to prevent entry of sewage water in to the lake.
- (v) Steps taken for removal of garbage.



(vi) Steps taken to fence the lake.

(vii) The details of the NGOs if any who are associated in developing the lake.

3) Four weeks time is granted to file the report/comments as stated above. **List this proceeding on 28.04.2021 at 3.30 p.m.** Communicate this order to the complainant and his representative "Namma Bengaluru Foundation" and also the concerned respondents.

  
(Justice R. Vishwanatha Shetty) 10/3/21  
Lokayukta,  
State of Karnataka,  
Bengaluru

\*VI

→ Chief Engineer, Lakes,  
B.B.M.P. report dtd. 25.03.2021  
received.