

No: COMPT/UPLOK/

Compt/Uplok/BGM/384/2023/p.p.

KARNATAKA LOKAYUKTA, BENGALURU

No: COMPT/UPLOK/

Date: 12/01/2023

ORDER

In 'Vijaya Karnataka daily' dated 11/01/2023, a news item with the heading "ಇಬ್ಬರು ಮಕ್ಕಳ ಬಲಿ ಪಡೆದ ಸೆಪ್ಟಿಕ್ ಟ್ಯಾಂಕ್" has been published. Instead of repeating the news item, it is useful to extract the same, which reads as hereunder;

“ಸವದತ್ತಿ (ಬೆಳಗಾವಿ) ತಾಲೂಕಿನ ಗುರ್ಲಹೊಸೂರಿನ ವಾಲ್ಮೀಕಿ ಭವನದ ಪಕ್ಕದಲ್ಲಿ ನಿರ್ಮಿಸಿದ ಸೆಪ್ಟಿಕ್ ಟ್ಯಾಂಕ್‌ನಲ್ಲಿ ಬಿದ್ದು ಇಬ್ಬರು ಬಾಲಕರು ಮಂಗಳವಾರ ಮೃತಪಟ್ಟಿದ್ದಾರೆ.

ಶ್ಲೋಕ ಶಂಭುಲಿಂಗ ಗುಡಿ ಹಾಗೂ ಚಿದಾನಂದ ಪ್ರಕಾಶ ಸಾಳುಂಕೆ ಮೃತಪಟ್ಟವರು. ಇಬ್ಬರೂ ನಾಲ್ಕು ವರ್ಷ ವಯಸ್ಸಿನ ಮಕ್ಕಳು. ವಾಲ್ಮೀಕಿ ಭವನದ ಪಕ್ಕದಲ್ಲೇ ಈ ಬಾಲಕರ ಮನೆ ಇದ್ದು, ಮಂಗಳವಾರ ಬೆಳಗ್ಗೆ ಆಟವಾಡುತ್ತಿದ್ದ ವೇಳೆ ಈ ದುರ್ಘಟನೆ ಸಂಭವಿಸಿದೆ.

ಬಾಲಕ ಶ್ಲೋಕ ಗುಡಿಯ ತಾಯಿ ಎರಡು ವರ್ಷಗಳ ಹಿಂದೆ ಹಾಗೂ ತಂದೆ 8 ತಿಂಗಳ ಹಿಂದೆ ಮೃತಪಟ್ಟಿದ್ದಾರೆ. ತಂದೆ-ತಾಯಿ ಇಲ್ಲದ ಬಾಲಕನನ್ನು ಸರಕಾರಿ ಆಸ್ಪತ್ರೆಯಲ್ಲಿ ನರ್ಸ್ ಆಗಿ ಕೆಲಸ ಮಾಡುತ್ತಿರುವ ಅತ್ತೆ ದೇವಿಕಾ ಅವರು ಪಾಲನೆ ಮಾಡುತ್ತಿದ್ದರು. ಎಂದಿನಂತೆ ಅಂಗನವಾಡಿಗೆ ಹೋಗುವಂತೆ ತಿಳಿಸಿ ದೇವಿಕಾ ಅವರು ಕರ್ತವ್ಯಕ್ಕೆ ತೆರಳಿದ ವೇಳೆ ಈ ದುರ್ಘಟನೆ ಸಂಭವಿಸಿದೆ.

ಸ್ಥಳೀಯರ ಆಕ್ರೋಶ: ವಾಲ್ಮೀಕಿ ಭವನ ಕಾಮಗಾರಿ ವಿಳಂಬವೇ ಈ ದುರ್ಘಟನೆಗೆ ಕಾರಣ ಎಂದು ಸ್ಥಳೀಯರು ಕಿಡಿಕಾರಿದ್ದಾರೆ. ಭವನದ ಪಕ್ಕದಲ್ಲಿ ಶೌಚಾಲಯ ನಿರ್ಮಾಣ

L

No: COMPT/UPLOK/

ಮಾಡುವ ಉದ್ದೇಶದಿಂದ ಸೆಪ್ಟಿಕ್ ಟ್ಯಾಂಕ್ ನಿರ್ಮಿಸಲಾಗಿದ್ದು, ಈ ಟ್ಯಾಂಕಿನ ಮೇಲ್ಭಾಗವನ್ನು ಮುಚ್ಚಿ ಪೂರ್ಣಗೊಳಿಸದೆ ಹಾಗೇ ಬಿಡಲಾಗಿದೆ. ಹೀಗಾಗಿ ಟ್ಯಾಂಕ್ ತುಂಬ ಗಲೀಜು ನೀರು ತುಂಬಿಕೊಂಡಿದೆ. “ಎರಡು ವರ್ಷಗಳ ಹಿಂದೆ ಎರಡು ಬಾರಿ ಎಮ್ಮೆ ಕರುಗಳು ಟ್ಯಾಂಕ್‌ನಲ್ಲಿ ಬಿದ್ದಿದ್ದವು. ಇದನ್ನು ಸಂಬಂಧಿಸಿದವರ ಗಮನಕ್ಕೆ ತಂದರೂ ನಿರ್ಲಕ್ಷ್ಯ ವಹಿಸಲಾಗಿದೆ.” ಎಂದು ಸ್ಥಳೀಯರು ಆರೋಪಿಸಿದ್ದಾರೆ.”

2. The news item extracted above indicates that on Tuesday 2 boys have fell into the septic tank which was constructed beside Valmiki Bhavan at Gurla Hosur of Savadathi Taluk. That the deceased boys are Shukla Shambhulinga Gudi and Chidananda Prakash Salunke and they are 4 years. That the house of these boys are situated near Valmiki Bhavan and this mishap occurred when the boys were playing. Further the news extract indicates that the mother of the boy Shukla Shambhulinga Gudi had expired 3 years back and his father has expired 8 months back. Since, he had no parents, his paternal aunty Devika who is working as Nurse in the Government Hospital was taking care of the boy. That this mishap had occurred after she had left to duty asking the boy to go to anganawadi as usual. The localites have expressed their anger stating that the delay in the construction of Valmiki Bhavan is the cause of this mishap. The localites have accused that the septic tank was constructed with an intention to construct toilets near the Bhavana and the tank was not covered and construction was not completed and it was left open, as a result dirty water was stored in the tank and about 2 years back buffalo calves had fallen

2

No: COMPT/UPLOK/

inside the tank twice and in spite of bringing this to the notice of the concerned authority they were negligent.

3. It is relevant to point out that, it is an obligation, duty and responsibility of the authorities who are entrusted with responsibility of construction of Valmiki Bhavan to provide safety measures at the place of construction. They have to close the tank which was under construction or take safety measures by not allowing the public access in the said area by putting fence or barricades. By not taking the above basic required safety measures the authorities who are entrusted with responsibility of construction of Valmiki Bhavan have acted negligently resulting in mishap claiming lives of 2 innocent children.
4. The object of the Karnataka Lokayukta Act 1984 (hereinafter referred to as 'K.L.Act') is to redress the grievance of the public as a consequence of mal-administration and also to prevent mal-administration in the State Administration. The misappropriation done by the Government servants in doing the public works falls within the meaning of 'mal-administration' under Sec.2(10) of the K.L.Act.
5. Therefore, I am of the view that it is desirable to consider the news item published in 'Vijaya Karnataka' as source material to exercise the power conferred on me under Sec. 7(2) and 9(3)(a) of the K.L. Act. Accordingly, I exercise my suo-motu power and the office is directed to register this proceedings as suo-motu proceeding.

2

No: COMPT/UPLOK/


6. With a view to examine the issues raised in the news item referred to above, I am of the view, that it is necessary to implead the officer mentioned herein below as party/respondent to this proceeding and issue notice to him and call for the comments from him.

1	Assistant Executive Engineer, KRIDL, Savadathi, Belagavi District.
---	---

7. The officer/official referred to above is directed to examine the issues raised in the news item extracted above and take immediate steps to close the septic tank. He is given two weeks time from the date of receipt of this order to submit his report/comments.

8. Communicate copy of this order to the respondent referred to above along with the copy of news item published in 'Vijaya Karnataka' and also to Executive Engineer, KRIDL, Belagavi District to hold an enquiry into the issues published in the news item and submit a report to this authority, within two weeks from the date of receipt of this order.

Call on 06/02/2023.


 (Justice K.N. Phaneendra)
 Upalokayukta
 Karnataka State.

10. ARLO- (Complaint section);

2

ನಿರ್ದೇಶನಕ್ಕಾಗಿ ಮೆಟುರುಬಿ
ಸಮೀಕ್ಷಿತ ಪ್ರತಿಭಟನೆ

ನವೇಶನಕ್ಕಾಗಿ ಮುಂದುವರಿಸಿ
ಸಾಮ್ರಾಜ್ಯ ಪ್ರತಿಭಟಿಸಿ

ಮುಖಗಾಂವಿ (ಗಣತಿ): ಅತ್ತಯ
ಮನೆ ಮಂಜೂರಾತಿಗೆ ಆಗ್ರಹಿಸಿ ಪಟ್ಟಣ
ಪಂಚಾಯತ್ ಕಾರ್ಯಾಲಯ ಎದುರು
ಎಠೀಡುನೀತಿನರೊಬ್ಬರು ಗರ್ಭಿಣಿ
ಹೆಂಡತಿ ಮಕ್ಕಳೊಂದಿಗೆ ಹೊರಸು
(ಮಂಟ್ರ) ಸಮೇತ ಪ್ರತಿಭಟನೆ ನಡೆಸಿದ
ಘಟನೆ ನೋಡುವುದರ ನಡೆದಿದೆ.

ತಾಯಿ ಇಲ್ಲದ ಬಾಲಕನನ್ನು ಸರಕಾರ
ಆಸ್ಪತ್ರೆಯಲ್ಲಿ ನರ್ಸ್ ಆಗಿ ಕೆಲಸ ಮಾಡುತ್ತಿ
ರುವ ಅತ್ತೆ ದೇವಿಣಾ ಅವರು ಪಾಲನೆ
ಮಾಡುತ್ತಿದ್ದರು. ಎಂದಿನಂತೆ ಅಂಗಣ
ವಾಡಿಗೆ ಹೋಗುವಂತೆ ತಿಳಿಸಿ ದೇವಿಣಾ
ಅವರು ಕೆಳವೃತ್ತಕ್ಕೆ ತೆರಳಿದ ವೇಳೆ ಕ

ನಲ್ವ ತರಬೇತಿ ಪಡೆದಿದ್ದರು. "ನನ್ನ ಕುಟುಂಬದ ಎಲ್ಲಾ ಸದಸ್ಯರ ಪ್ರೈವಿಟ್, ದೇವರ ದಯೆ, ಗುರು ಹಿರಿಯರ ಅಲಕ್ಷ್ಯದಿಂದ ರಾಂಕ್ ಪಡೆದವರು ನಾಥ್ಯವಾಗಿದೆ. ಮುಂದೆ ಯಾವುದಾದರೂ ಸಂಸ್ಥೆಯಲ್ಲಿ ದುಡಿಯುತ್ತೇನೆ. ಪ್ರಾಕ್ಟೀಸ್ ಮಾಡಲು ನಿರ್ಧರಿಸಿದ್ದೇನೆ" ಎಂದು ಅವರು ಎಜಯ ಶರ್ವಾಟಕಕ್ಕೆ ಲಿಖಿಸಿದರು.

[illegible]

ಕರ್ನಾಟಕ ಸರ್ಕಾರ
(ಲೋಕೋಪಯೋಗಿ ಇಲಾಖೆ)
ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಭಿಯಂತರರು,
ಲೋಕೋಪಯೋಗಿ ಇಲಾಖೆ, ವಿಭಾಗ, ವಾಯವ್ಯಾಡು.
ದೂರವಾಣಿ ಸಂಖ್ಯೆ: 08532-225778 & 224747
ಇ-ಮೇಲ್: info@kpsc.karnataka.gov.in
(ಕೆ.ಸೆ.ಎಸ್. 21.31 & 4)
THESE WORKS ARE GENERAL & SPECIAL CONTRACTORS
1. ಪ್ರಕಟಿಸಿದ ಸಂಖ್ಯೆ ಮತ್ತು ದಿನಾಂಕ: ಲೋ.ಇ.ರಾ.ವ/ಅಂ.ವ-4/ಬೆಂ.ಪ್ರ.
2023-24-02-01-2023-2) ಕಾಮಗಾರಿ ಹೆಸರು: