

Karnataka Lokayukta
(Under Section 7 of the Karnataka Lokayukta Act, 1984)

CASE
NUMBER COMPT/UPLOK/GLB/2250/2022

District : **Raichur**

BY :

1. SUO MOTO

As per the Order of Honble Upalokayukta-2, Dated:
18/06/2022.

COMPLAINANT/S

AGAINST :

1. ASSISTANT EXECUTIVE ENGINEER

City Municipal Council, Raichur.

2. JUNIOR ENGINEER

City Municipal Council, Raichur.

RESPONDENT/S

Allegation/Grievance Dereliction of duty.

Brief :

Received From : Suo Moto

Received On : 21-06-2022

Seal and Signature

Complaint stands
allotted to : **ARE-5**

SCRUTINY AND OPINION

KARNATAKA LOKAYUKTA, BENGALURU

No: Compt/Uplok/GLB/2022

Date: 18-06-2022

ORDER

In 'Prajavani daily' dated 17.6.2022, a news item with the heading "ಟ್ಯಾಂಕ್‌ನಲ್ಲಿ 20 ವರ್ಷಗಳ ಕೊಳಕು" has been published. Instead of repeating the news item, it is useful to extract the same, which reads as hereunder:

"ಟ್ಯಾಂಕ್‌ನಲ್ಲಿ 20 ವರ್ಷಗಳ ಕೊಳಕು"

ರಾಯಚೂರು: ಕುಡಿಯುವ ನೀರು ಸಂಗ್ರಹಿಸಲು ನಗರಸಭೆಯಿಂದ ನಿರ್ಮಿಸಲಾದ ಓವರ್‌ಹೆಡ್ ಟ್ಯಾಂಕ್‌ನಲ್ಲಿ ಕೊಳಕು ತುಂಬಿದ್ದು, ಇದನ್ನು 20 ವರ್ಷಗಳಿಂದ ಸ್ವಚ್ಛಗೊಳಿಸಿಯೇ ಇಲ್ಲ!

'ಮನೆ ಕಟ್ಟಿಕೊಂಡು ಇಲ್ಲಿ 20 ವರ್ಷಗಳಿಂದ ಇದ್ದೇನೆ. ಆದರೆ, ಟ್ಯಾಂಕ್‌ನ ಸ್ವಚ್ಛತಾ ಕಾರ್ಯ ನಡೆದಿದ್ದು ನಾನು ಒಮ್ಮೆಯೂ ನೋಡಿಲ್ಲ. ಈಗ ನಗರಸಭೆಯವರು ಸ್ವಚ್ಛ ಮಾಡಲು ಬಂದಿದ್ದಾರೆ. ನಗರಸಭೆ ನೀರಿನ ಸಹವಾಸವೇ ಬೇಡವೆಂದು ಶುದ್ಧ ನೀರಿನ ಕ್ಯಾನ್ ಖರೀದಿಸುತ್ತಿದ್ದೇವೆ' ಎಂದು ಇಂದಿರಾನಗರದ (ವಾರ್ಡ್ ಸಂಖ್ಯೆ 4) ನಿವಾಸಿ ಉದಯಕುಮಾರ್ 'ಪ್ರಜಾವಾಣಿ' ತಿಳಿಸಿದರು.

'ಶುಂಗಭದ್ರಾ ನದಿ ನೀರು ಸಂಸ್ಕರಣೆ ಆಗುವ ರಾಂಪುರ ಶುದ್ಧೀಕರಣ ಘಟಕದಲ್ಲಿ ಹಲವು ವರ್ಷಗಳಿಂದ ಸಂಗ್ರಹವಾಗಿದ್ದ 4 ಅಡಿಗಳಷ್ಟು ಹೊಳನ್ನು ಈಗಷ್ಟೆ ತೆರವು ಮಾಡಲಾಗಿದೆ. ಮೂರು ತಿಂಗಳಿಗೊಮ್ಮೆ ಸಂಸ್ಕರಣೆ ಘಟಕದ ಹೊಳು ತೆರವಾಗಬೇಕು. 20 ವರ್ಷಗಳಿಂದ ಅದರಲ್ಲಿ ಕೊಳಕು ಸಂಗ್ರಹವಾಗುತ್ತಿದ್ದು, ಅದೇ ನೀರು ಪೂರೈಕೆಯಾಗುತ್ತಿದೆ. ವಾಂತಿ ಭೇದಿ ಪ್ರಕರಣ ಉಲ್ಬಣಿಸಲು ಇದೇ ಕಾರಣ' ಎಂದು ನಿವಾಸಿಗಳು ಹೇಳುತ್ತಾರೆ.

ಹಳೆಯ ಘಟಕದ ಪಕ್ಕದಲ್ಲಿ ರೂ. 5.3 ಕೋಟಿ ವೆಚ್ಚದಲ್ಲಿ ಹೊಸ ನೀರು ಸಂಸ್ಕರಣಾ ಘಟಕ ನಿರ್ಮಾಣವಾಗಿ ಮೂರು ವರ್ಷಗಳಾದರೂ ನಗರ ಸಭೆ ತನ್ನ ವ್ಯಾಪ್ತಿಗೆ ಪಡೆದಿರಲಿಲ್ಲ. ಈಗ ಎಚ್ಚೆತ್ತಿರುವ ನಗರಸಭೆಯು ನೂತನ ಘಟಕದ ಬಳಕೆಗೆ ಮುಂದಾಗಿದೆ.

ಮಹಿಳೆ ಸಾವು; ಮೃತರ ಸಂಖ್ಯೆ 7ಕ್ಕೆ

ರಾಯಚೂರು: ಕಲುಷಿತ ನೀರು ಕುಡಿದು ವಾಂತಿ ಭೇದಿಯಿಂದ ನರಳುತ್ತಿದ್ದ ವಾರ್ಡ್ ಸಂಖ್ಯೆ 14ರ ನಿವಾಸಿ ಶಮೀಮ್ ಬೇಗಂ (48) ಮೇ 30ರಂದು ಖಾಸಗಿ ಆಸ್ಪತ್ರೆಯಲ್ಲಿ ಮೃತಪಟ್ಟಿದ್ದು, ಬುಧವಾರ ಆಸ್ಪತ್ರೆಯವರು ಅದನ್ನು ದೃಢಪಡಿಸಿದ್ದಾರೆ. ಇದರಿಂದ ಸಾವಿನ ಸಂಖ್ಯೆ 7ಕ್ಕೆ ಏರಿಕೆಯಾಗಿದೆ. 'ಯಾವುದೇ ಸಾವಿನ ವರದಿಯನ್ನು ಜಿಲ್ಲಾ ಆರೋಗ್ಯ ಇಲಾಖೆ ಪರಿಶೀಲಿಸಿದ ಬಳಿಕ, ಪರಿಹಾರಕ್ಕೆ ಕ್ರಮ ಕೈಗೊಳ್ಳಲಾಗುವುದು' ಎಂದು ನಗರಸಭೆ ಪೌರಾಯುಕ್ತ ಗುರುಲಿಂಗಪ್ಪ 'ಪ್ರಜಾವಾಣಿ'ಗೆ ತಿಳಿಸಿದರು.

L

2) The news item extracted above indicates that over head tank constructed by the City Municipal Council, Raichur in Ward No. 4, Indiranagara is filled with dirt and the same has not been cleaned for the last 20 years, due to which the residents are suffering from serious health hazards.

3) It is settled position of Law that Right to access to drinking water is a fundamental right to life guaranteed under Article 21 of the Constitution of India. In this context, reference may be had to the Judgment of Hon'ble Supreme Court in the case of **A.P. Pollution Control Board -II Vs Prof. M.V. Naidu (retd.) and ors (2001 (2) SCC 62)** where the Hon'ble Supreme Court has held as follows;

3. Drinking water is of primary importance in any country. In fact, India is a party to the resolution of the UNO passed during the United Nations Water Conference in 1977 as under:

"All people, whatever their stage of development and their social and economic conditions, have the right to have access to drinking water in quantum and of a quality equal to their basic needs."

Thus, the right to access to drinking water is fundamental to life and there is a duty on the State under Article 21 to provide clean drinking water to its citizens.

4. Adverting to the above right declared in the aforesaid Resolution, in *Narmada Bachao Andolan v. Union of India* [(2000) 10 SCC 664 : (2000) 7 Scale 34] (Scale at p. 124 : SCC p. 767, para 248), Kirpal, J. observed:

“248. Water is the basic need for the survival of human beings and is part of the right to life and human rights as enshrined in Article 21 of the Constitution of India....”

4) It is relevant to point out that, over head tanks have been constructed with an object of providing water to the residents for the purpose of drinking and other domestic purposes. If the over head tank is not cleaned periodically, the dirt which accumulates in the water causes serious health hazards to the residents. As could be seen from the above news item, since 20 years, the concerned authorities have failed to clean and maintain the over head tank constructed in Ward No.4, Indiranagara, Raichur. It is needless to mention that it is the duty and obligation of the CMC, Raichur in monitoring and maintaining the over head tank. Failure on the part of concerned authorities in not maintaining the Over Head Tank, not only amounts to violation of fundamental right guaranteed under Article 21 of the Constitution of India, but also amounts

to mal-administration within the meaning of Sec.2(10) of the Karnataka Lokayukta Act, 1984.

5) The object of the Karnataka Lokayukta Act 1984 (hereinafter referred to as 'K.L. Act') is to redress the grievance of the public as a consequence of mal-administration and also to prevent mal-administration in the State Administration. The negligence on the part of the concerned authorities who are entrusted with the responsibility of maintaining the over head tanks, in my considered view falls within the meaning of 'mal-administration' under Sec. 2(10) of the K.L. Act.

6) Therefore, I am of the view that it is desirable to consider the news item published in 'Prajavani Daily' as source material to exercise the power conferred on me under Sec. 7(2) and 9(3)(a) of the K.L. Act. Accordingly, I exercise my suo-motu power and the office is directed to register this proceedings as suo-motu proceeding.

7) With a view to examine the issues raised in the news item referred to above, I am of the view that it is necessary to

implead the following officers to this proceeding and issue notices calling upon them to submit comments:-


- 1) Assistant Executive Engineer, City Municipal Council, Raichur,
- 2) Junior Engineer, City Municipal Council, Raichur.

8) **The Commissioner, City Municipal Council, Raichur** shall examine the issues raised in the news item extracted above and take such other steps to carry-out the cleaning and maintenance of the Over Head Tank and provide pure and safe drinking water to the residents of Raichur forthwith. **The Commissioner, City Municipal Council, Raichur** shall also submit a report **on or before 06-07-2022** on the following:-

- 1) The details of over head tanks constructed in Raichur City Municipal area;
- 2) Details of the amount spent towards cleaning and maintaining of overhead tanks constructed within the limits of City Municipal area, Raichur for the last two years;

- 3) The details of the officers who are entrusted with the responsibility of cleaning and maintaining the overhead tanks.
- 9) Communicate copy of this order to the respondents and Commissioner, City Municipal Council, Raichur, along with the copy of news item published in 'Prajavani Daily'
- 10) The respondents are directed to appear before this authority on **06-07-2022 at 3:30 P.M.** for hearing.

List this matter on 06-07-2022 at 3:30 P.M.


.. 18/6/22
(Justice K.N. Phaneendra),
Upalokayukta-2,
Karnataka State.

- 11) ARLO-4 (Complaint Section)}

ಟ್ರಾಂಕ್‌ನಲ್ಲಿ 20 ವರ್ಷಗಳ ಕೊಳಕು!

ಪ್ರಜಾವಾಣಿ ವಾರ್ತೆ

ರಾಯಚೂರು: ಕುಡಿಯುವ ನೀರು ಸಂಗ್ರಹಿಸಲು ನಗರಸಭೆಯಿಂದ ನಿರ್ಮಿಸಲಾದ ಓವರ್‌ಸೈಡ್ ಟ್ರಾಂಕ್‌ನಲ್ಲಿ ಕೊಳಕು ತುಂದಿದ್ದು, ಇದನ್ನು 20 ವರ್ಷಗಳಿಂದ ಸ್ವಚ್ಛಗೊಳಿಸಿರಲಿಲ್ಲ.

'ಮನೆ ಕಟ್ಟಿಕೊಂಡು ಇಲ್ಲಿ 20 ವರ್ಷಗಳಿಂದ ಇದ್ದೇನೆ. ಆದರೆ, ಟ್ರಾಂಕ್‌ನ ಸ್ವಚ್ಛತಾ ಕಾರ್ಯ ನಡೆದಿದ್ದು ನಾನು ಓಮ್ಮೆಯೂ ನೋಡಿಲ್ಲ. ಈಗ ನಗರಸಭೆಯವರು ಸ್ವಚ್ಛ ಮಾಡಲು ಬಂದಿದ್ದಾರೆ. ನಗರಸಭೆ ನೀರಿನ ಸಹವಾಸವೇ ಬೇಡವೆಂದು ಶುದ್ಧ ನೀರಿನ ಕ್ಯಾನ್ ಖರೀದಿಸುತ್ತಿದ್ದೇವೆ ಎಂದು ಇಂದಿರಾನಗರದ (ವಾರ್ಡ್ ಸಂಖ್ಯೆ 4) ನಿವಾಸಿ ಉದಯಕುಮಾರ್ ಪ್ರಜಾವಾಣಿಗೆ ತಿಳಿಸಿದರು.

'ಸುಗಂಭದ್ರಾ ನದಿ ನೀರು ಸಂಸ್ಕರಣೆ

ಮಹಿಳೆ ನಾವು; ಮೃತರ ಸಂಖ್ಯೆ 7ಕ್ಕೆ

ರಾಯಚೂರು: ಕಲುಷಿತ ನೀರು ಕುಡಿದು ವಾಂತಿ ಭೇದಿಯಿಂದ ನರಳುತ್ತಿದ್ದ ವಾರ್ಡ್ ಸಂಖ್ಯೆ 14ರ ನಿವಾಸಿ ಶಮೀಮ್ ಬೇಗಂ (48) ಮೇ 30ರಂದು ಪಾಸಾಗಿ ಅಸ್ತತ್ವದಲ್ಲಿ ಮೃತಪಟ್ಟಿದ್ದು, ಬುಧವಾರ ಅಸ್ತತ್ವವನ್ನು ಅದನ್ನು ದೃಢಪಡಿಸಿದ್ದಾರೆ. ಇದರಿಂದ ಸಾವಿನ ಸಂಖ್ಯೆ 7ಕ್ಕೆ ಏರಿಕೆಯಾಗಿದೆ.

'ಯಾವುದೇ ಸಾವಿನ ವರದಿಯನ್ನು ಜಿಲ್ಲಾ ಆರೋಗ್ಯ ಇಲಾಖೆ ಪರಿಶೀಲಿಸಿದ ಬಳಿಕ, ಪರಿಹಾರಕ್ಕೆ ಕ್ರಮ ಕೈಗೊಳ್ಳಲಾಗುವುದು' ಎಂದು ನಗರಸಭೆ ಪೌರಾಯುಕ್ತ ಗುರುಲಿಂಗಪ್ಪ ಪ್ರಜಾವಾಣಿಗೆ ತಿಳಿಸಿದರು.

ಅಗುವ ರಾಂಪುರೆ ಶುದ್ಧೀಕರಣ ಘಟಕದಲ್ಲಿ ಹಲವು ವರ್ಷಗಳಿಂದ ಸಂಗ್ರಹವಾಗಿದ್ದ 4 ಅಡಿಗಳಷ್ಟು ಹೊಳನ್ನು ಈಗಷ್ಟೆ ತೆರವು ಮಾಡಲಾಗಿದೆ. ಮೂರು ತಿಂಗಳಿಗೊಮ್ಮೆ ಸಂಸ್ಕರಣೆ ಘಟಕದ ಹೂಳು ತೆರವಾಗಬೇಕು. 20 ವರ್ಷಗಳಿಂದ ಅದರಲ್ಲಿ ಕೊಳಕು ಸಂಗ್ರಹವಾಗುತ್ತಿದ್ದು ಅದೇ ನೀರು ಪೂರೈಕೆಯಾಗುತ್ತಿದೆ. ವಾಂತಿ ಭೇದಿ-ಪ್ರಕರಣ

ಉಲ್ಟಾಪೆಲು ಇದೇ ಕಾರಣ' ಎಂದು ನಿವಾಸಿಗಳು ಹೇಳುತ್ತಾರೆ.

ಹಳೆಯ ಘಟಕದ ಪಕ್ಕದಲ್ಲಿ 15.3 ಕೋಟಿ ವೆಚ್ಚದಲ್ಲಿ ಹೊಸ ನೀರು ಸಂಸ್ಕರಣಾ ಘಟಕ ನಿರ್ಮಾಣವಾಗಿ ಮೂರು ವರ್ಷಗಳಾದರೂ ನಗರ ಸಭೆ ತನ್ನ ವ್ಯಾಪ್ತಿಗೆ ಸಡೆದಿರಲಿಲ್ಲ. ಈಗ ಎಚ್ಚತ್ತಿರುವ ನಗರಸಭೆಯು ನೂತನ ಘಟಕದ ಬಳಕೆಗೆ ಮುಂದಾಗಿದೆ.